

Hand Graded Homework

Due: October 17, 2006

Goals: The goal of this project is to understand how log functions can be used to make exponential and power functions linear.

- Open Microsoft Excel. In the file menu, choose Page setup.... Click on Landscape, and click OK.

I. Data related exponentially

When light shines through water in a lake, the intensity of the light decreases with depth. The data for this problem is the intensity of the light in lumens, taken at depth increments of 5 ft in a particular lake. The model for intensity as a function of depth is given by

$$I(d)=I_0e^{-kd},$$

where I_0 is the intensity of the light that hits the surface of the water, d is depth and k is a constant that depends on the murkiness of the water. In this problem, you will use light intensity data to determine the intensity of the light I_0 on the day the data was taken, and the murkiness constant k .

- Type “Luminosity as a Function of Depth” in cell A1. Type “Depth (ft)” in cell A2 and “Luminosity (lm)” in cell B2.
- Type 5 into cell A3. In Cell A4, type =A3+5 (including the equals sign), and hit enter or click check in the formula bar. Fill this formula down to cell A10, so the numbers 5-40 appear in the first column, counting by 5’s.

How to fill down: with cell A4 selected, put your cursor on the bottom right hand side of the cell. Your cursor should change into a small black plus shape. Hold the mouse so that the cursor shows that plus shape, press the left mouse button, and holding it down, drag down to cell A10. You should now see the numbers 5 through 40, counting by 5’s in these cells.

- Enter the light intensity data from the following table.

Depth (ft)	Light Intensity (lm)
5	13
10	7.6
15	4.5
20	2.7
25	1.8
30	1.1
35	0.5
40	0.3

Now we will make an xy-scatter plot of this data.

- Select the data (cells A2 to B10).
- Choose Chart... from the Insert menu. A dialog box called “Chart Wizard – Step 1 of 4 – Chart Type” will appear. Click on x-y scatter plot. Click Next.
- The title of the dialog box changes to Step 2 of 4 – Chart Source Data. We won’t use these options at this time. Click Next.
- Step 3 of 4 – Chart Options. Click on the Titles tab, if it is not already selected. Type a title for your chart. For the Value (X) axis, type “Depth (ft)”. For the Value (Y) axis, type “Light Intensity (lm)”. Click the tab at the top of the dialog box that says Gridlines. Check Major gridlines under Value (X) axis and Value (Y) axis. Click Next.
- Step 4 of 4 – Chart Location. This dialog box allows you to choose whether the chart will appear in a new window, or as a part of the worksheet containing the data. Mark the “As an object in” radio button, if it is not already marked. Click Finish.

The relationship between the x and y values on this graph does not appear linear. In fact this data is related exponentially. You will now add a trendline that is exponential.

- Click on the chart to make it active (black squares will appear around its perimeter).
- From the menu bar, click the Chart menu and then choose Add Trendline... A dialog box will appear.
- Under Trend/Regression Type, click on Exponential. Click on the Options tab. Click in the box beside Display equation on chart. Click OK.
- An exponential curve of best fit should now appear, along with the equation of the curve. Click on the equation itself and drag it to the white space where it shows.
- Save your work.
- Click on the white space on chart to make it active. Choose Print... from the File menu. Excel will print only the chart on a full page.

In this part of the problem, you will learn how to linearize data that behaves exponentially. First, you will make a plot that is linear and fit a line to it. Then you will compare the formula for your line and for the exponential model you found above. When you complete the questions that accompany this part, you will show algebraically that these two equations are equivalent, meaning, given one equation, you can find the other.

- In cell C2, type “Natural Log of Intensity (lm)”. In cell C3, type the formula $=\ln(B3)$ including the equals sign. Fill the formula down to cell C10.
- Select cells C2 through C10.
- Choose Chart... from the Insert menu. A dialog box called “Chart Wizard – Step 1 of 4 – Chart Type” will appear. Click on x-y scatter plot. Click Next.
- The title of the dialog box changes to Step 2 of 4 – Chart Source Data. Click on the Series tab. Click in the x-values box, and with your cursor in the x-values box, select cells A3 through A10 on your spreadsheet. Alternatively, you can type $=\text{Sheet1!}\$A\$3:\$A\10 , including the equals sign.
- Step 3 of 4 – Chart Options. Click on the Titles tab, if it is not already selected. For the title, use “Natural Log of the Luminosity as a Function of Depth”. For the Value (X) axis, type “Depth (ft).” For the Value (Y) axis, type “Natural Log of the Intensity (lm).” Click the tab at the top of the dialog box that says Gridlines. Check Major gridlines under Value (X) axis and Value (Y) axis. Click Next.

- Step 4 of 4 – Chart Location. This dialog box allows you to choose whether the chart will appear in a new window, or as a part of the worksheet containing the data. Mark the “As an object in” radio button, if it is not already marked. Click Finish.
- This should have graphed the depth on the x-axis and the natural log of the intensity in the y-axis. Double check that you created your chart correctly by checking that the data has x-coordinates going from 5 to 40, counting by 5’s.

This time, the relationship between the x and y values on this graph do appear linear (if you didn’t get a pretty straight line of dots, you’ve done something wrong). You will now add a trendline to the graph.

- Click on the chart to make it active (black squares will appear around its perimeter).
- From the menu bar, click the Chart menu and then select Add Trendline... A dialog box will appear.
- The Linear Trend/Regression type is marked. Click on the Options tab. Click in the box beside Display equation on chart. Click OK.
- Drag the formula for the line to the white part of your graph so that you can see it. You will need it to answer the questions.
- Save your work.
- Click on the white space on chart to make it active. Choose Print... from the File menu. Excel will print only the chart on a full page.

Questions:

1. When you fit the exponential trendline to the first graph, the formula that Excel found was given to you with the variable y as a function of x . What do x and y represent in this exercise?
2. Change the variables so that depth is represented with the variable d and the intensity of the light at a depth d is called $I(d)$. Write the formula for the function $I(d)$ that models the intensity as a function of depth in the lake. Your formula should have the form
$$I(d)=I_0e^{-kd}.$$
What are I_0 and k in your model (they are numbers)? What does I_0 represent in words?
3. If the light intensity drops below 0.15 lumens, a certain species of algae cannot survive because photosynthesis is impossible. Use the formula you found above to solve for the depth at which the intensity falls below 0.15 lm.
4. When you fit the linear trendline to the second graph, the formula Excel found was given to you with y as a function of x . Write the formula for the line here. Your formula should have the form
$$y = mx + b.$$
What are m and b in your model (they are numbers)?
5. What is the relationship between the I_0 and k you found in number 2 and the m and b you found in number 4? Hint: calculate the natural log of I_0 (you can use Excel as a calculator. For example, to calculate $\ln(4)$, you would type $=\ln(4)$ in a blank square, including the equals sign.) If you did not get a clear relationship, you probably made a mistake when creating your charts.

6. In the first graph you plotted I as a function of d , and the result showed that I changes exponentially as a function of d . In the second graph you plotted $\ln(I)$ as a function of d , and showed that $\ln(I)$ changes linearly as a function of d . In this exercise, you will explain why this is the case. *To help you understand this, look in the College Algebra text at the bullet entitled Linearizing exponential data on page 448.* Write an equation showing each of the following steps.

Step 1. Begin with the relationship

$$I = I_0 e^{-kd}.$$

Step 2. Take the natural log (\ln) of each side of the equation.

Step 3. Use the first law of logs to separate the $\ln(I_0 e^{-kd})$ into two terms, one with $\ln(I_0)$ and one with $\ln(e^{-kd})$. The first law of logs says $\ln(AB) = \ln(A) + \ln(B)$.

Step 4. Simplify the term $\ln(e^{-kd})$ using the relationship between \ln and e .

Step 5. Write Let $y = \ln(I)$, and let $x = d$. Then substitute y and x into your equation.

In Step 5, you should have ended up with a formula of the form

$$y = mx + b.$$

Compare $y = mx + b$ with your equation from Step 5. What did you get for m and b ?

Step 6. Conclude this part by explaining that since I is an exponential function of d , $\ln(I)$ is a linear function of d .

II. Data related by a power rule.

In a physics experiment, a lead ball is dropped from a height of 5m. The students record the distance the ball has fallen every one-tenth of a second. (This can be done using a camera and a strobe light.)

- Open a new Excel spread sheet.
- Type “Height as a function of time” in cell A1. Type “Time (sec)” in cell A2 and “Distance (m)” in cell B2.
- Type 0.1 into cell A3. In Cell A4, type =A3+0.1 (including the equals sign), and hit enter or click check in the formula bar. Fill this formula down to cell A12, so the numbers 0.1-1.0 appear in the first column, counting by 0.1’s.
- Enter the distance data from the following table.

Time (sec)	Distance (m)
0.1	0.048
0.2	0.197
0.3	0.441
0.4	0.882
0.5	1.227
0.6	1.765
0.7	2.401
0.8	3.136
0.9	3.969
1.0	4.902

- Now we will make an xy-scatter plot of this data.
- Select the data (cells A2 to B12).
- Choose Chart... from the Insert menu. A dialog box called “Chart Wizard – Step 1 of 4 – Chart Type” will appear. Click on x-y scatter plot. Click Next.
- The title of the dialog box changes to Step 2 of 4 – Chart Source Data. We won’t use these options at this time. Click Next.
- Step 3 of 4 – Chart Options. Click on the Titles tab, if it is not already selected. Type a title for your chart. For the Value (X) axis, type “Time (sec)”. For the Value (Y) axis, type “Distance (m)”. Click the tab at the top of the dialog box that says Gridlines. Check Major gridlines under Value (X) axis and Value (Y) axis. Click Next.
- Step 4 of 4 – Chart Location. This dialog box allows you to choose whether the chart will appear in a new window, or as a part of the worksheet containing the data. Mark the “As an object in” radio button, if it is not already marked. Click Finish.

The relationship between the x and y values on this graph does not appear linear. In fact this data is related with a power law. You will now add a trendline that is a power.

- Click on the chart to make it active (black squares will appear around its perimeter).
- From the menu bar, click the Chart menu and then choose Add Trendline... A dialog box will appear.
- Under Trend/Regression Type, click on Power. Click on the Options tab. Click in the box beside Display equation on chart. Click OK.

- A power curve of best fit should now appear, along with the equation of the curve. Click on the equation itself and drag it to the white space where it shows.
- Save your work.
- Click on the white space on chart to make it active. Choose Print... from the File menu. Excel will print only the chart on a full page.

In this part of the problem, you will learn how to linearize data that behaves with a power law. First, you will make a plot that is linear and fit a line to it. Then you will compare the formula for your line and for the power model you found above. When you complete the questions that accompany this part, you will show algebraically that these two equations are equivalent, meaning given one equation, you can find the other.

- In cell C2, type “Natural Log of Time.” In cell C3, type the formula =ln(A3) including the equals sign. Fill the formula down to cell C12.
- In cell D2, type “Natural Log of Distance ” In cell D3, type the formula =ln(B3) including the equals sign. Fill the formula down to cell D12.
- Select cells C2 through D12.
- Choose Chart... from the Insert menu. A dialog box called “Chart Wizard – Step 1 of 4 – Chart Type” will appear. Click on x-y scatter plot. Click Next.
- The title of the dialog box changes to Step 2 of 4 – Chart Source Data. You will not use this at this time. Click Next.
- Step 3 of 4 – Chart Options. Click on the Titles tab, if it is not already selected. For the title, use “Natural Log of the Distance as a Function of the Natural Log of the Time.” For the Value (X) axis, type “Natural Log of Time ”. For the Value (Y) axis, type “Natural Log of the Distance ” Click the tab at the top of the dialog box that says Gridlines. Check Major gridlines under Value (X) axis and Value (Y) axis. Click Next.
- Step 4 of 4 – Chart Location. This dialog box allows you to choose whether the chart will appear in a new window, or as a part of the worksheet containing the data. Mark the “As an object in” radio button, if it is not already marked. Click Finish.
- This should have graphed the natural log of time on the x-axis and the natural log of the distance in the y-axis.

This time, the relationship between the x and y values on this graph do appear linear (if you didn't get a pretty straight line of dots, you've done something wrong). You will now add a trendline to the graph.

- Click on the chart to make it active (black squares will appear around its perimeter).
- From the menu bar, click the Chart menu and then select Add Trendline... A dialog box will appear.
- The Linear Trend/Regression type is marked. Click on the Options tab. Click in the box beside Display equation on chart. Click OK.
- Drag the formula for the line to the white part of your graph so that you can see it. You will need it to answer the questions.
- Save your work.
- Click on the white space on chart to make it active. Choose Print... from the File menu. Excel will print only the chart on a full page.

Questions:

1. When you fit the power rule trendline to the first graph, the formula that Excel found was given to you with the variable y as a function of x . What do x and y represent in this exercise?
2. Change the variables so that time is represented with the variable t and the distance the ball has traveled after t seconds is called $d(t)$. Write the formula for the function $d(t)$ that models the distance the ball has traveled as a function of time. Your formula should have the form
$$d(t)=Ct^n.$$
What are C and n in your model (they are numbers)?
3. Write the formula for the model of the natural log of distance as a function of the natural log of time that Excel found using the second graph. Your model should have the form
$$y = mx + b.$$
What are m and b in your model (they are numbers)?
4. What is the relationship between the C and n you found in number 2 and the m and b you found in number 3? Hint: calculate the natural log of C . If you did not get a clear relationship, you probably made a mistake when creating your charts.
5. In the first graph you plotted d as a function of t , and the result showed that distance changes with a power rule as a function of time. In the second graph you plotted $\ln(d)$ as a function of $\ln(t)$, and showed that $\ln(d)$ changes linearly as a function of d . In this exercise, you will explain why this is the case. *To help you understand this, look in the College Algebra text at the bullet entitled Linearizing power data on page 449.* Write an equation showing each of the following steps.

Step 1. Begin with the relationship

$$d=Ct^n.$$

Step 2. Take the natural log (\ln) of each side of the equation.

Step 3. Use the first law of logs to separate the $\ln(Ct^n)$ into two terms, one with $\ln(C)$ and one with $\ln(x^n)$. The first law of logs says $\ln(AB)=\ln(A)+\ln(B)$.

Step 4. Simplify the term $\ln(t^n)$ using the third law of logs. The third law of logs says $\ln(A^n)=n \ln(A)$.

Step 5. Write Let $y = \ln(d)$, and let $x = \ln(t)$ Then substitute y and x into your equation. In Step 5, you should have ended up with a formula of the form

$$y = mx + b.$$

Compare the formula $y=mx+b$ with your equation from Step 5. What did you get for m and b ?

Step 6. Conclude this part by explaining that since d is an power function of t , $\ln(d)$ is a linear function of $\ln(t)$.