

# Analysis of Reusability of Secure Sketches and Fuzzy Extractors

Marina Blanton\* and Mehrdad Aliasgari  
 Department of Computer Science and Engineering  
 University of Notre Dame, Notre Dame, IN  
 {mblanton, maliasga}@nd.edu

**Abstract**—Secure sketches and fuzzy extractors enable the use of biometric data in cryptographic applications by correcting errors in noisy biometric readings and producing cryptographic materials suitable for authentication, encryption, and other purposes. Such constructions work by producing a public sketch, which is later used to reproduce the original biometric and all derived information exactly from a noisy biometric reading. It has been previously shown that release of multiple sketches associated with a single biometric presents security problems for certain constructions. We continue the analysis to demonstrate that all other constructions are also prone to similar problems and cannot be safely reused even in presence of very weak adversaries.

EDICS: BIO-SECP, ADP-PATT, APC-OTHS

## I. INTRODUCTION

The motivation for this work comes from practical use of biometric-derived data. Biometrics and derivation of cryptographic material from biometric data for authentication, encryption, or other purposes is an active research area. Secure sketches and fuzzy extractors [1], [2] were introduced as mechanisms of deriving cryptographic material from noisy biometric data for the purpose of its use in cryptographic applications. Such constructions allow one to produce a helper string (secure sketch) — which is viewed as public — from a biometric and later re-produce the cryptographic string exactly from a close noisy biometric reading using the helper string. The goal of such constructions is to keep the biometric itself hidden, which means that information leakage due to the release of the helper string must be minimized.

While this is a powerful concept that enables new applications and can also be attractive to users who no longer need to maintain secrets to participate in cryptographic protocols, it has been shown that leakage of information associated with the biometric in such constructions is unavoidable [3], [4]. Furthermore, this concept was initially proposed and primarily studied in the context when the construction is applied to a biometric only once. Consecutive publications [5], [6] explored the security guarantees of such schemes in terms of their reusability, when a single biometric or its noisy version is used to produce multiple secure sketches using the same or different algorithms. Information leakage prevents such constructions from meeting standard security requirements sought of them in cryptographic applications such as indistinguishability (or

inability to link two records to the same biometric) and irreversibility (inability to reverse the construction and directly recover information about the biometric). Some of the more popular constructions for secure sketches (namely, based on the code offset and permutation groups) has been shown to have serious security weaknesses with respect to their reusability in presence of even very weak adversaries [6]. In this work, we continue this analysis on a number of other constructions from the literature and show that they also cannot be safely reused. In particular, we show that they fail to satisfy standard security expectations with respect to reusability and therefore cannot be used in security applications. In our analysis we study indistinguishability and irreversibility properties of secure sketches (and the corresponding fuzzy extractors) for distance metrics such as set difference and edit distance in presence of weak adversaries who only have access to two sketches.

As the existing schemes have security weaknesses that prevent their reuse, in a complement work [7], [8] we suggest the use of the computational setting, in which storing a single key for all possible uses of such schemes provably mitigates any information leakage and enables simple and flexible secure sketch and fuzzy extractor constructions in presence of powerful adversaries. We refer the reader to [7], [8] for further information.

In the rest of this paper, we first provide the necessary background, define our security model, and list known weaknesses (section II). We then analyze reusability of set difference and edit distance constructions (sections III and IV, respectively). Lastly, we present related work (section V) and conclude the paper (section VI).

## II. MODEL AND DEFINITIONS

### A. Secure sketches and fuzzy extractors

Secure (or fuzzy) sketches were introduced by Dodis et al. [1], [2] as a mechanism of correcting errors in noisy secrets (e.g., biometrics) by releasing a helper string  $S$  that does not reveal a lot of information about the secret. Let  $W$  denote a random variable and  $w$  its value.

*Definition 1:* A  $(\mathcal{M}, m, m', t)$ -secure sketch is a pair of randomized algorithms:

- $SS$  is a function that, on input  $w$  from metric space  $\mathcal{M}$  with distance function  $\text{dist}$ , outputs a sketch  $S$ .

- Rec is a function that, on input  $w' \in \mathcal{M}$  and  $S = \text{SS}(w)$ , recovers and outputs the original  $w$  if  $\text{dist}(w, w') \leq t$ .

Security of a secure sketch is evaluated in terms of entropy of  $W$  before,  $m$ , and after,  $m'$ , releasing the string  $S$ , i.e., the entropy loss  $m - m'$  associated with making  $S$  public.

The predictability of a random variable  $W$  is  $\max_w \Pr[W = w]$ , and the *min-entropy* (which can be viewed as the “worst-case” entropy) of  $W$  is defined as  $H_\infty(W) = -\log \max_w \Pr[W = w]$ . Now, if  $W$  and  $S$  are two random possibly correlated variables, releasing that the value of  $S$  was  $s$  will affect predictability of  $W$ , and the predictability becomes  $\max_w \Pr[W = w | S = s]$ . On average (over all choices of  $S$ ), the success in predicting  $W$  is  $\mathbb{E}_{s \leftarrow S}[\max_w \Pr[W = w | S = s]]$  (i.e., this is the average case for  $S$  and the worst case for  $W$ ). Then the *average min-entropy* of  $W$  given  $S$  is defined as the logarithm of the above  $\bar{H}_\infty(W|S) = \log \mathbb{E}_{s \leftarrow S}[\max_w \Pr[W = w | S = s]]$ . We obtain that for any  $W$  with  $H_\infty(W) \geq m$  the probability of guessing  $W$  after observing  $S$  is at most  $1/2^{-m'}$ , where  $m' \leq \bar{H}_\infty(W|S)$ , i.e., the entropy loss due to release of  $S$  is  $m - m'$  (and is unavoidable).

Secure sketches have been constructed for different types of metric spaces  $\mathcal{M}$ , for which the distance function  $\text{dist}(a, b)$  is defined for all  $a, b \in \mathcal{M}$ .

*Fuzzy extractors* allow one to extract randomness from  $w$  (to use it as cryptographic material) and later reproduce it exactly using  $w'$  close to the original  $w$ .

*Definition 2:* A  $(\mathcal{M}, m, m', t, \epsilon)$ -fuzzy extractor is a pair of algorithms:

- Gen is a function that, on input  $w \in \mathcal{M}$ , outputs extracted random string  $R$  and a helper string  $P$ .
- Rep is a function that, on input  $w'$  and  $P$ , reproduces and outputs  $R$  that was generated using Gen( $w$ ) if  $\text{dist}(w, w') \leq t$ .

The security requirement is such that, for any  $W$  of min-entropy  $m$ , the *statistical distance* between the distribution of  $R$  and the uniform distribution of strings of the same length is no greater than  $\epsilon$ , even after observing the helper data  $P$ . The statistical distance between probability distributions  $X$  and  $Y$  is defined as  $\text{SD}(X, Y) = \frac{1}{2} \sum_a |\Pr(X = a) - \Pr(Y = a)|$ .

A fuzzy extractor can be built from a secure sketch using the following generic construction given in [1]:

Gen( $w$ ):

- 1) Execute  $S \leftarrow \text{SS}(w; r_1)$ , where  $r_1$  explicitly denotes random coins used by SS (if any).
- 2) Use a strong extractor Ext to extract a random string  $R$  from  $w$ , i.e.,  $R \leftarrow \text{Ext}(w; r_2)$ , where  $r_2$  denotes random coins used by Ext.
- 3) Output public  $P = (S, r_2)$  and secret  $R$ .

Rep( $w', P = (S, r_2)$ )

- 1) Execute  $w \leftarrow \text{Rec}(w', S)$ . If Rec fails (i.e., when  $\text{dist}(w, w') > t$  such that  $S = \text{SS}(w)$ ), stop.
- 2) Extract  $R$  from  $w$  using  $r_2$  as  $R \leftarrow \text{Ext}(w, r_2)$  and output  $R$ .

Strong extractors [9], [10] have been well studied and can extract at most  $m - 2 \log(\frac{1}{\epsilon}) + O(1)$  nearly random bits (where

$m$  is min-entropy of  $W$  and  $\epsilon$  is the fuzzy extractor’s security parameter). One such construction uses universal hash function and extracts  $m - 2 \log(\frac{1}{\epsilon}) + 2$  random bits. Thus, entropy loss of  $2 \log(\frac{1}{\epsilon}) + 2$  is in addition to the entropy loss due to the release of a sketch  $S$ . If a strong extractor is modeled as a random oracle, there is no additional entropy loss.

Many constructions utilize error-correcting codes. A code  $C$  is a subset of  $K$  elements  $\{w_0, \dots, w_{K-1}\}$  of  $\mathcal{M}$ . The minimum distance of  $C$  is the smallest  $d$  such that  $\text{dist}(w_i, w_j) \geq d$  for all  $i \neq j$ , which implies that the code can detect up to  $d - 1$  errors; and the error-correcting distance is  $t = \lfloor (d - 1) / 2 \rfloor$ .

A linear error-correcting code  $C$  over field  $\mathbb{F}_q$  is a  $k$ -dimensional linear subspace of the vector space  $\mathbb{F}_q^n$  which uses Hamming distance as the metric, and is denoted as  $(n, k, t)_{\mathbb{F}_q}$ -code. For any linear code  $C$ , an  $(n - k) \times n$  parity-check matrix  $H$  projects any vector  $v \in \mathbb{F}_q^n$  to the space orthogonal to  $C$ . This projection is called the syndrome and denoted by  $\text{syn}(v) = Hv$ . Then  $v \in C$  iff  $\text{syn}(v) = 0$ . The syndrome contains all information necessary for decoding. That is, when codeword  $c$  is transmitted and noisy  $w = c + e$  is received,  $\text{syn}(w) = \text{syn}(c) + \text{syn}(e) = 0 + \text{syn}(e)$ , where  $\text{syn}(e)$  can be used to determine the error pattern  $e$ .

Secure sketch constructions for the Hamming distance (e.g., the code-offset construction) have been most heavily analyzed (see, e.g., [5], [6]). Also, the permutation-based construction, which is applicable to any transitive metric, has been sufficiently analyzed in [6], [5]. For that reason, in this work we concentrate on constructions specific to other distance metrics, specifically the set difference and the edit distance. Recall that while the Hamming distance is used for biometric data such as iris codes, the set difference is employed for fingerprints and the edit distance is relevant to DNA comparisons.

## B. Constructions for set difference

This distance metric is defined as symmetric difference between two unordered sets  $w$  and  $w'$ , denoted by  $w \Delta w'$ , as  $\text{dist}(w, w') = w \Delta w' = \{x \in w \cup w' \mid x \notin w \cap w'\}$ . Throughout this work, we use notation  $a \stackrel{R}{\leftarrow} A$  to denote that the value of  $a$  is chosen uniformly at random from the set  $A$ .

1) *Fuzzy vault:* The fuzzy vault scheme designed by Juels and Sudan [11] can be used as a secure sketch when the biometric data is comprised of unordered elements  $w = \{w_1, \dots, w_s\}$  (e.g., minutiae points in fingerprints). The main idea is to disguise the points in  $w$  by adding a large number of *chaff points*. The genuine points then carry information that allows  $w$  to be reconstructed from its noisy version  $w'$ . In what follows, we assume that  $t \in [1, s]$  and  $r \in [s + 1, n]$  are system-wide parameters, where  $n$  is the set of all possible points or the universe. Work is over field  $\mathbb{F}_n$ , where  $n$  is a prime power.

To compute  $\text{SS}(w)$ :

- 1) Choose a random polynomial  $p(\cdot)$  of degree at most  $s - t - 1$  over  $\mathbb{F}_n$ .
- 2) For each  $w_i \in w$ , let  $x_i = w_i$  and  $y_i = p(x_i)$ .
- 3) Choose  $r - s$  distinct points  $x_{s+1}, \dots, x_r$  at random from  $\mathbb{F}_n \setminus w$  and set  $y_i \stackrel{R}{\leftarrow} \mathbb{F}_n \setminus \{p(x_i)\}$  for  $i = s + 1, \dots, r$ .

- 4) Output  $SS(w) = \{(x_1, y_1), \dots, (x_r, y_r)\}$  sorted by the value of  $x_i$ 's.

To compute  $\text{Rec}(w', S = (x_1, y_1), \dots, (x_r, y_r))$ :

- 1) Create the set  $D$  of pairs  $(x_i, y_i)$  such that  $x_i \in w'$ .
- 2) Run Reed-Solomon decoding on  $D$  to recover the polynomial  $p(\cdot)$ .
- 3) Output  $s$  points of the form  $(x_i, p(x_i))$  from  $S$ .

Privacy of the biometric depends on the number and distribution of points in  $S$  (i.e., the difficulty of identifying the original points and the number of spurious polynomials created by the chaff points). The entropy loss due to the release of  $S$  is determined in [1] to be upper bounded by  $t \log n + \log \binom{n}{r} - \log \binom{n-s}{r-s} + 2$ .

2) *Improved fuzzy vault*: Dodis et al. [2] observed that the polynomial in the above construction does not need to be random, which allows for a secure sketch with significantly lower entropy loss, namely  $t \log n$ .

To compute  $SS(w)$ :

- 1) Compute unique monic polynomial  $p(x) = \prod_{w_i \in w} (x - w_i)$  of degree  $s$ .
- 2) Output the coefficients of  $p(\cdot)$  of degree  $s - 1$  down to  $s - t$ , which will form  $SS(w) = (c_{s-1}, \dots, c_{s-t})$ .

To compute  $\text{Rec}(w', S = (c_{s-1}, \dots, c_{s-t}))$ :

- 1) Create a new polynomial  $p_{\text{high}}$  of degree  $s$  that shares the top  $t + 1$  coefficients with  $p(\cdot)$ , i.e.,  $p_{\text{high}}(x) = x^s + \sum_{i=s-t}^{s-1} c_i x^i$ .
- 2) Evaluate  $p_{\text{high}}$  on points of  $w'$  to obtain pairs  $(a_1, b_1), \dots, (a_s, b_s)$ .
- 3) Use Reed-Solomon decoding to find a polynomial  $p_{\text{low}}$  of degree  $s - t - 1$  such that  $p_{\text{low}}(a_i) = b_i$  for at least  $s - t/2$  values of  $a_i$ 's. If none can be found, output fail.
- 4) Output the roots of the polynomial  $p_{\text{high}} - p_{\text{low}}$ .

3) *Pinsketch*: This next construction works when the universe size  $n$  is large (or could not be enumerated) and thus all computation is polynomial in  $\log n$ . Pinsketch also allows the biometric  $w$  to have a variable number of points, which makes the construction particularly attractive. In what follows, support  $\text{supp}(w)$  is used as an alternative representation of small weight  $w$  by listing the positions at which it is non-zero. This allows decoding complexity to be a function of  $\log n$  instead of  $n$ .

To compute  $SS(w)$ :

- 1) Let  $s_j = \sum_{w_i \in w} (w_i)^j$  (in  $\mathbb{F}_{2^\lambda}$  where  $n = 2^\lambda - 1$ ).
- 2) Output  $SS(w) = (s_1, s_3, \dots, s_{2t-1})$ .

To compute  $\text{Rec}(w', S = (s_1, s_3, \dots, s_{2t-1}))$ :

- 1) Compute  $SS(w') = (s'_1, s'_3, \dots, s'_{2t-1})$ .
- 2) Let  $\sigma_i = s'_i - s_i$  and compute  $\text{supp}(v)$  such that  $\text{syn}(v) = (\sigma_1, \sigma_3, \dots, \sigma_{2t-1})$  and  $|\text{supp}(v)| \leq t$ .
- 3) If  $\text{dist}(w, w') \leq t$ , then  $\text{supp}(v) = w \Delta w'$ ; therefore, output  $w = w' \Delta \text{supp}(v)$ .

This construction uses BCH codes (which are linear) and results in entropy loss of  $t \log(n + 1)$ .

### C. Constructions for edit distance

Now  $w$  and  $w'$  are strings of arbitrary lengths over some alphabet and the distance between  $w$  and  $w'$  is defined as the smallest number of character insertions and deletions that transform  $w$  into  $w'$ .

To the best of our knowledge, the only known constructions for the edit distance first use an embedding of the edit distance metric into a transitive metric (e.g., the Hamming distance) of larger dimension and apply a secure sketch construction to the target metric. A construction for the edit distance then can proceed as follows:

To compute  $SS(w)$ :

- 1) Embed  $w$  into  $v$  in a transitive metric space (the Hamming distance or set difference) as  $v = f(w)$ .
- 2) Compute and output  $SS(v) = \text{syn}(v)$ .

To compute  $\text{Rec}(w', S)$ :

- 1) Embed  $w'$  into  $v'$  in a transitive metric space.
- 2) Execute  $v = \text{Rec}(v', S)$  and output the reverse embedding of  $v$   $w = f^{-1}(v)$ .

The entropy loss of this construction depends on the properties of the embedding and the secure sketch scheme in the target metric. When  $f^{-1}$  is not efficiently computable, the output of an additional function  $g(w)$  can be stored in  $S$  which helps in recovering  $w$  from  $v$ .

### D. Security notions

The original security definitions of secure sketches and fuzzy extractors quantify information leakage about the biometric due to the release of public helper data and ensure that the output of fuzzy extractors is indistinguishable from random. They were formulated for a single instance of a secure sketch or fuzzy extractor in isolation [1]. Consecutive literature [5], [6] considered a stronger (and more realistic) adversarial model where such constructions can be invoked multiple times and therefore the security guarantees must hold when the constructions are reused. Furthermore, the power granted to the adversary can greatly differ. In this work we use weak adversaries to analyze existing constructions, i.e., to show that they do not provide sufficient security guarantees even in presence of weak adversaries. In a nutshell, a weak adversary is given two secure sketches and tries to determine whether they were produced using the same biometric (distinguishability) and what that biometric was (reversibility), while in a stronger adversarial model the adversary might be able to adaptively ask for secure sketches and private key that fuzzy extractors output.

Let  $t$  be the maximum amount of errors that the biometric system can tolerate. We define  $\Delta_t$  to be the set of all perturbation functions that represent differences in sampling biometric data; we then have  $\Delta_t = \{\delta : \mathcal{M} \rightarrow \mathcal{M} \text{ such that } \text{dist}(w, \delta(w)) \leq t\}$ . In this work, we only define a security game for weak adversaries with access to public sketches. A solution that we propose in [7], [8], however, is shown secure in presence of strong adversaries. Two security properties for weak adversaries defined in [6] are sketch indistinguishability and irreversibility.

## 2-Indistinguishability game ([6]):

- 1) The challenger chooses a random variable  $W \in \mathcal{M}$  and samples it to obtain  $w \in \mathcal{M}$ . The challenger computes  $S_1 = \text{SS}(w)$  and gives  $S_1$  to adversary  $\mathcal{A}$ .
- 2) The challenger chooses a bit  $b$  at random. If  $b = 1$ , the challenger chooses  $\delta \stackrel{R}{\leftarrow} \Delta_t$ , and produces a related biometric  $w' = \delta(w)$ . Otherwise, if  $b = 0$ , the challenger samples  $W$  to obtain a different biometric  $w'$ . The challenger then computes  $S_2 = \text{SS}(w')$  and gives  $S_2$  to  $\mathcal{A}$ .
- 3) The adversary  $\mathcal{A}$  eventually produces a bit  $b'$  and wins if  $b' = b$ .

The adversary  $\mathcal{A}$ 's advantage in the above game is defined as:

$$\text{Adv}_{\mathcal{A}}^{\text{ind}} = 2 \left| \Pr[b' = b] - \frac{1}{2} \right| = 2 \left| \Pr[b' \neq b] - \frac{1}{2} \right|$$

*Definition 3:* An  $(\mathcal{M}, m, m', t)$ -secure sketch  $(\text{SS}, \text{Rec})$  is  $\epsilon$ -indistinguishable in  $\Delta_t$  if for any adversary  $\mathcal{A}$  it holds that  $\text{Adv}_{\mathcal{A}}^{\text{ind}} \leq \epsilon$ , and the secure sketch is reusable when  $\epsilon$  is negligible.

The irreversibility property of secure sketch constructions means that an adversary who obtains access to multiple sketches which have been generated from the same noisy input is unable to recover the original input. The sketches could be generated using different sketching functions, and this is what the irreversibility game below models. The adversary's goal is then to recover the original input. For the purposes of this game, we define a family  $\mathcal{F} = \{(\text{SS}_i, \text{Rec}_i)\}$  of  $(\mathcal{M}, m, m'_i, t_i)$ -secure sketches.

## Irreversibility game ([6]):

- 1) The challenger chooses a random variable  $W \in \mathcal{M}$  and samples it to obtain  $w \in \mathcal{M}$ . The challenger chooses  $(\text{SS}_{i_1}, \text{Rec}_{i_1})$  at random from  $\mathcal{F}$ , computes  $S_1 = \text{SS}_{i_1}(w)$  and gives  $S_1$  to  $\mathcal{A}$ .
- 2) The challenger chooses  $\delta \stackrel{R}{\leftarrow} \Delta_t$ , where  $t = \min\{t_i\}$ , and  $(\text{SS}_{i_2}, \text{Rec}_{i_2})$  at random from  $\mathcal{F} \setminus \{(\text{SS}_{i_1}, \text{Rec}_{i_1})\}$ . The challenger produces a related biometric  $w' = \delta(w)$ , computes  $S_2 = \text{SS}_{i_2}(w')$  and gives  $S_2$  to  $\mathcal{A}$ .
- 3) The adversary eventually produces output  $\hat{w} \in \mathcal{M}$  and wins if  $\hat{w} = w$ .

Note that requiring the adversary to produce  $w$  is equivalent to requiring it to produce  $w'$ , since knowledge of one of them is equivalent to knowledge of both in presence of sketches  $S_1$  and  $S_2$ .

The adversary  $\mathcal{A}$ 's advantage in the above game is:

$$\text{Adv}_{\mathcal{A}}^{\text{irrev}} = \frac{2^{\min(m'_{i_1}, m'_{i_2})}}{2^{\min(m'_{i_1}, m'_{i_2})} - 1} \left| \Pr[\hat{w} = w] - \frac{1}{2^{\min(m'_{i_1}, m'_{i_2})}} \right|.$$

*Definition 4:* A family  $\mathcal{F}$  of  $(\mathcal{M}, m, m'_i, t_i)$ -secure sketches  $\{(\text{SS}_i, \text{Rec}_i)\}$  is  $\epsilon$ -irreversible in  $\Delta_t$  if for any adversary  $\mathcal{A}$  it holds that  $\text{Adv}_{\mathcal{A}}^{\text{irrev}} \leq \epsilon$ , and the family is just irreversible when  $\epsilon$  is negligible.

## E. Known Privacy Weaknesses

Simoens et al. [6] show that two popular secure sketch constructions – namely, the code offset construction with a linear error-correcting code (i.e., the syndrome construction) and the construction based on permutation groups – do not withstand the requirements of indistinguishability and irreversibility. In other words, the adversary can win such experiments with overwhelming probability. The former construction is applicable to the Hamming distance metric (and is among the most popular and widely studied schemes) and the latter can be used for any transitive distance metric. For that reason, in this work we concentrate on the analysis of schemes for other distance metrics (namely, set difference and edit distance), some of which are related to the previously analyzed constructions.

## III. ANALYSIS OF SET DIFFERENCE CONSTRUCTIONS

### A. Fuzzy vault

1) *Attacking indistinguishability:* Before proceeding with the analysis, we note that the basic idea for the strategy in attacking the fuzzy vault scheme when two or more sketches are available – computing the intersection of the points – is straightforward and is not new. This attack appeared in [12], [13], [14]. Our analysis is different from what has been done before because all previous publications assume that given sketches are related and proceed with identifying original points. Our work, however, assumes a significantly weaker (and perhaps more realistic) adversary that would like to determine if two given sketches are related or not, which is a much more difficult task. Therefore, we present a rigorous new analysis that shows weaknesses of the scheme even in the presence of the weakest adversary.

The adversary receives two secure sketches  $S_1 = \{(x_1, y_1), \dots, (x_r, y_r)\}$  and  $S_2 = \{(x'_1, y'_1), \dots, (x'_r, y'_r)\}$ , and the adversary's goal is to determine the coin flip, i.e., whether the biometrics  $w$  and  $w'$  are related or not. Let  $\pi_x(S_i)$  denote projection of  $S_i$  onto the  $x$ -axis, i.e.,  $\pi_x(S_1) = \{x_1, \dots, x_r\}$  and  $\pi_x(S_2) = \{x'_1, \dots, x'_r\}$ . The idea behind the attack strategy here is to compute the intersection of  $\pi_x(S_1)$  and  $\pi_x(S_2)$  and use its size to make a distinction between related and unrelated biometrics. Related sketches will overlap in at least  $s - t$  original biometric points, while unrelated sketches will have fewer original biometric points overlap. In addition, a number of chaff points in  $\pi_x(S_1)$  can collide with chaff points in  $\pi_x(S_2)$  or points in  $w' \setminus (w \cap w')$  (similarly, points from  $w \setminus (w \cap w')$  can collide with chaff points in  $\pi_x(S_2)$ ). Thus, the size of  $\pi_x(S_1) \cap \pi_x(S_2)$  follows a certain distribution, but the expected overlap size is larger for related sketches. Before presenting the exact attack strategy, we analyze the properties of such a distribution.

Let  $\alpha = |w \cap w'|$  denote the number of biometric points in the intersection, i.e.,  $\alpha \geq s - t/2$  for related biometric samples and  $\alpha \leq s - t/2 - 1$  otherwise. Let  $a = r - \alpha$  and  $b = n - \alpha$ , i.e.,  $a$  is the number of sketch points that do not correspond to the overlapping biometric points and  $b$  is the overall space for such points. As customary in the literature, we assume that the biometric points of  $w$  are distributed uniformly at random in the space; the chaff points are also drawn uniformly at random

from the remaining space. Then to determine how many points from  $S'_1 = \pi_x(S_1) \setminus (w \cap w')$  will collide with points from  $S'_2 = \pi_x(S_2) \setminus (w \cap w')$ , suppose there are  $b = n - \alpha$  bins and points from  $S'_1$  occupy  $a = r - \alpha$  of them, i.e., there are  $a$  random bins with a ball in them. We now throw another  $a$  balls (i.e., points from  $S'_2$ ) into the bins without replacement and count the number of bins with two balls in them (i.e., if a bin has two balls, it is removed, so that no bin has more than two balls; this is dictated by the requirement that all  $r$  points in a sketch are different). The above can be modeled as hypergeometric experiment.<sup>1</sup> Let  $X$  be a random variable that corresponds to the number of collisions in  $\pi_x(S_1)$  and  $\pi_x(S_2)$  (i.e., its size is  $|\pi_x(S_1) \cap \pi_x(S_2) \setminus (w \cap w')|$ ). We obtain:

$$\Pr[X = k] = \binom{a}{k} \binom{b-a}{a-k} / \binom{b}{a} \quad (1)$$

where  $X$  can take values between 0 and  $a$ . The mean value of this distribution is  $E[X] = a \cdot \frac{b}{b}$ .

This analysis leads to the attack strategy given in Figure 1, where the value of  $\beta$  is set to  $E[X]$  for two related biometrics  $w$  and  $w'$  with the largest distance, i.e., with  $\alpha = s - t/2$ .

Let  $\alpha_{\text{auth}}$  denote a random variable corresponding to the distribution of  $|w \cap w'|$  when  $w$  and  $w'$  are related (authentic), and  $\alpha_{\text{imp}}$  denote a random variable corresponding to the size of such overlap when  $w$  and  $w'$  are unrelated (impostor). The adversary has the smallest probability of distinguishing between authentic and impostor sketches when the values of  $\alpha_{\text{auth}}$  and  $\alpha_{\text{imp}}$  are as close as possible, i.e.,  $\alpha_{\text{auth}} = s - t/2$  and  $\alpha_{\text{imp}} = s - t/2 - 1$ . According to the indistinguishability definition, we have  $\text{Adv}_{\mathcal{A}}^{\text{ind}} = 2 |\Pr[b' = b] - \frac{1}{2}|$ . If we let  $X_1$  denote the random variable distributed according to the hypergeometric distribution above with  $\alpha_1 = s - t/2$  and  $X_2$  denote a similar random variable with  $\alpha_2 = s - t/2 - 1$ , we obtain that the adversary is successful with at least the following probability:

$$\begin{aligned} \Pr[b' = b] &= \Pr[b' = 1 | b = 1] \Pr[b = 1] \\ &+ \Pr[b' = 0 | b = 0] \Pr[b = 0] \\ &\geq \frac{1}{2} (\Pr[X_1 \geq z - \alpha_1] + \Pr[X_2 < z - \alpha_2]) \\ &= \frac{1}{2} (\Pr[X_1 \geq \beta] + \Pr[X_2 < \beta + 1]) \\ &= \frac{1}{2} \left( \sum_{i=\beta}^{r-s+t/2} \frac{\binom{r-s+t/2}{i} \binom{n-r}{r-s+t/2-i}}{\binom{n-s+t/2}{r-s+t/2}} \right. \\ &\quad \left. + \sum_{i=0}^{\beta} \frac{\binom{r-s+t/2+1}{i} \binom{n-r}{r-s+t/2+1-i}}{\binom{n-s+t/2+1}{r-s+t/2+1}} \right). \end{aligned} \quad (2)$$

We obtain the following result:

*Claim 1:* The advantage  $\text{Adv}_{\mathcal{A}}^{\text{ind}}$  of adversary  $\mathcal{A}$  in the 2-indistinguishability game for the fuzzy vault scheme ( $\text{SS}(w)$ ,  $\text{Rec}(w', S)$ ) with  $w$  consisting of  $s$  elements from  $\mathbb{F}_n$ , a sketch  $S$  consisting of  $r$  points, and  $\text{dist}(w, w') \leq t$  required for

<sup>1</sup>When  $a \ll b$ , the requirement that we sample without replacement can be dropped and the result modeled as a simpler binomial experiment. In this application, however,  $a$  in general is not guaranteed to be much smaller than  $b$ .

On input sketches  $S_1 = (x_1, y_1), \dots, (x_r, y_r)$  and  $S_2 = (x'_1, y'_1), \dots, (x'_r, y'_r)$ :

- 1) Compute  $\pi_x(S_1)$ ,  $\pi_x(S_2)$ , and  $z = |\pi_x(S_1) \cap \pi_x(S_2)|$ .
- 2) Let  $\beta = \lfloor (r - s + t/2)^2 / (n - s + t/2) \rfloor$ .
- 3) If  $z \geq (s - t/2 + \beta)$ , output 1, otherwise, output 0.

Fig. 1. Attacking indistinguishability of fuzzy vault scheme.

reconstruction is:

$$\text{Adv}_{\mathcal{A}}^{\text{ind}} \geq \left| \sum_{i=\beta}^u \frac{\binom{u}{i} \binom{n-r}{u-i}}{\binom{n-s+t/2}{u}} + \sum_{i=0}^{\beta} \frac{\binom{u+1}{i} \binom{n-r}{u+1-i}}{\binom{n-s+t/2+1}{u+1}} - 1 \right|$$

where  $\beta = \lfloor (r - s + t/2)^2 / (n - s + t/2) \rfloor$  and  $u = r - s + t/2$ .

The probability of success  $\Pr[b' = b]$  and advantage  $\text{Adv}_{\mathcal{A}}^{\text{ind}}$  can be easily computed for a given set of parameters  $n$ ,  $r$ ,  $s$ , and  $t$ . In reality, each parameter  $n$ ,  $s$ ,  $t$ , and  $r$  has limitations placed on it by the behavior of the actual biometric data. In particular, Clancy et al. [15] study applicability of the fuzzy vault construction to fingerprint data and determine optimal parameters to use in order to achieve adequate resistance of the construction against brute force search (when an adversary is given a sketch and tries to determine sensitive information by searching through polynomials). While the fuzzy vault construction was not used exactly as a secure sketch in [15] and was generalized, we nevertheless obtain information about the parameters that would be used for fingerprint data.

The field  $\mathbb{F}_{p^2}$ , for prime  $p$ , is used for representing fingerprint features in 2-D and the value of  $p$  is set to 251 giving us  $n = 251^2 = 63001$  (this value of  $p$  also provides many choices for the decoding algorithm). The number of biometric points in a fingerprint is often in the range 20–50 (this value can greatly vary based on the equipment used and quality of data). Using the analysis and empirical data from [15], [16] as guidelines for achieving good distinguishing capability, low error rate, and difficulty of brute force attack on the fuzzy vault scheme, we set  $s = 30$  and  $t = 16$ . Finally, the value of  $r$  is constrained in that the complexity of decoding for legitimate users can grow as  $r$  increases (this is caused by spurious polynomials introduced by the chaff points). In particular, at the decoding time, when a legitimate user computes  $w' \cap \pi_x(S)$ , where  $S = \text{SS}(w)$ , the decoding complexity can grow when points from  $w' \setminus (w' \cap w)$  coincide with chaff points in  $S$ . Since  $|w' \setminus (w' \cap w)| \leq t/2$  for legitimate users, we can model this as another hypergeometric experiment which now consists of throwing  $t/2$  points in  $b = n - s + t/2$  bins, where  $a = r - s + t/2$  bins already have a ball in them. We then want  $r$  to be such that the expected (integer-valued) number of collisions  $\frac{t}{2} \cdot \frac{a}{b}$  is zero.

Figure 2 plots the adversary's advantage  $\text{Adv}_{\mathcal{A}}^{\text{ind}}$  for the above parameters  $n$ ,  $s$ , and  $t$  as a function of  $r$  near the suggested in [15] value of  $r$  of about 300. As evident from the figure, the advantage is significant even in the worst (for the adversary) case when only one extra overlapping point separates authentic data from impostor. The jumps in the plot correspond to the places where the (integer-valued) mean of the distribution increases by 1.




Fig. 2. Adversary advantage  $\text{Adv}_{\mathcal{A}}^{\text{ind}}$  with parameters  $n = 251^2$ ,  $s = 30$ ,  $t = 16$ , and varying  $r$ .

In practice, the above model is more complex due to the need of quantizing the data and the ability to handle white noise (small differences in the positions of the feature points). As a result, this imposes a maximum packing density of points in the vault. In particular, points normally cannot be placed very close to other points, but given the acceptable distance  $d$ , they can lie anywhere in the space as long as they are at least distance  $d$  from other points. This means that the total number of elements  $r$  in a sketch cannot exceed  $\frac{4pp^2}{d^2\pi}$  with packing density  $\rho$  (i.e., packing non-overlapping circles of radius  $d/2$ ). The optimal density for packing circles is unachievable and instead [15] gives  $\rho \approx 0.45$  in which case the packing is guaranteed to be random. When, for instance,  $p = 251$ ,  $d = 10$ , and  $\rho = 0.45$ ,  $r \leq 361$ .

Relating this point placement constraint to our problem of estimating the adversary's advantage in distinguishing related and unrelated sketches, we as before assume that  $\alpha$  genuine points overlap. While a point can overlap with more than one other points, it is considered a match only with one of them (often the closest), and the remaining points can still overlap (and be considered a match) with other points. When packing non-overlapping balls in the area, the radius of each ball is  $d/2$ . When, however, computing the useful area, where points can be placed given a number of points already in the area, we have that a point cannot land within the distance  $d$  of another point and for that reason we model existing points as balls of radius  $d' = d - \delta$  for some negligibly small  $\delta$ .

The above means that two points within (Euclidean) distance of less than  $d$  from each other will be considered a match even if their positions differ. We can then take this modification into account and recompute the adversary's advantage assuming that each point occupies an area of radius  $d' = d - \delta < d$ . Then to determine the number of collisions caused by the chaff points (as in equation 1), we need to compute the space in which such points land. Given  $\alpha = |w \cap w'|$  overlapping biometric points, they occupy an area between  $\alpha \cdot \text{CA}(d')$  and  $\alpha \cdot 2\text{CA}(d')$ , where  $\text{CA}(r) = \pi r^2$  represents the circle area of radius  $r$ . Fortunately, we can estimate such an area more precisely as follows. Because the points are always placed at discrete locations, for any particular value of  $d$ , it is not difficult to compute the average area occupied by two overlapping balls of radius  $d'$ . Let  $D_d = \{(i, j) \mid i = 0, \dots, d-1, j = 1, \dots, d-1 \text{ and } \sqrt{i^2 + j^2} < d\}$ . This set represents relative coordinates of a




Fig. 3. The ratio of the average area covered by two overlapping points to the area of two circles of diameter  $d' \approx d$ .

quarter of all points (excluding the perfect overlap) that would cause two points to overlap. Then the average area occupied by two overlapping balls of radius  $d'$  is:

$$\text{AA}(d) = \left( 4 \sum_{(i,j) \in D_d} (2\text{CA}(d') - \text{IA}(d', \sqrt{i^2 + j^2})) + \text{CA}(d') \right) / (4|D_d| + 1)$$

where  $\text{IA}(a, b)$  denotes the area of the intersection of two circles of radius  $a$  placed at distance  $b$  (the formula for which is well known). The average is computed using the distances for all overlapping points in four quarters and the perfect overlap with 0 distance.

Figure 3 plots the ratio of the average overlapping points area  $\text{AA}(d)$  to the area  $2\text{CA}(d')$  occupied by two circles of radius  $d'$  for different values of  $d$ . It is clear that the ratio remains constant, despite discretization of point locations, which could introduce an error in the computation. This means that we can approximate the area occupied by two overlapping points in our analysis by scaling  $2\text{CA}(r)$  by a constant factor.

Going back to modeling the distribution that would allow us to determine the adversary's advantage in distinguishing related and unrelated sketches, as before we assume that  $\alpha = |w \cap w'|$  points from the original biometrics overlap. Let  $w_o$  denote the  $\alpha$  points from  $w$  that are in the intersection, and similarly  $w'_o$  denote the corresponding  $\alpha$  points from  $w'$ . The area occupied by the overlapping  $2\alpha$  points  $w_o \cup w'_o$  on average is  $\alpha \text{AA}(d)$ , while the  $\alpha$  points from  $w_o$  and  $w'_o$  occupy  $\alpha \text{CA}(d')$  space each. This means that when we throw the remaining  $r - \alpha$  points of  $w'$  uniformly at random, the space at which they are to land is slightly different from the space where points in  $\pi_x(S_1) \setminus w_o$  can reside. Let  $c$  be a constant such that  $\text{AA}(d) = c \cdot 2\text{CA}(d')$  (i.e.,  $0.5 < c < 1$ ). Also let  $\text{space}(A)$  denote the space occupied by set  $A$  and  $\text{space}(all)$  denote the overall space of size  $p \times p$ . We obtain that  $|\text{space}(w_o)| = |\text{space}(w'_o)| = \alpha \text{CA}(d')$  and  $|\text{space}(w_o \cup w'_o)| = 2c\alpha \text{CA}(d')$ . Then when we throw the first point from  $\pi_x(S_2) \setminus w'_o$  into  $\text{space}(all) \setminus \text{space}(w_o)$ , it has a regular probability of overlapping with a (random) point from  $\pi_x(S_1) \setminus w_o$  if it lands in the space  $\text{space}(all) \setminus (\text{space}(w_o \cup w'_o))$ , and that probability is lowered if it lands in the space  $\text{space}(w_o \setminus w'_o)$ . In the latter case, the landing point has fewer options for intersection (as a number of points in close proximity of it cannot contribute to an overlap) and the probability is lowered by a factor  $2c - 1$  on average from the former case (the factor  $2c - 1$  is the

fraction of the thrown ball's area that can overlap with another point in  $w$ ). Similar logic applies to other points that we throw with the difference that the areas occupied by existing points increase. Note that this model is still an approximation, as each ball can overlap with several balls near it. Since taking into account all possible overlaps will result in a significantly more complex model, we instead use this approximation as the lower bound on the attacker's advantage. That is, because we underestimate the remaining space at which we throw points, this results in greater probability of overlap of two balls, and the adversary's distinguishing probability is better when the number of spurious overlaps is small. Also note that the probability that a ball of radius  $d'$  overlaps with more than a single ball near it grows as the number of chaff points in a sketch increases.

To determine the number of overlapping points between  $\pi_x(S_1)$  and  $\pi_x(S_2)$ , we might wish to rewrite equation 1 in a similar form. First observe that when we throw the first point after the  $\alpha$  overlapping points from the original biometrics have been determined, the probability of overlap with the remaining  $a = r - \alpha$  points from  $S_1$  is

$$\frac{n - 2c\alpha CA(d')}{n - \alpha CA(d')} \cdot \frac{a CA(d')}{n - \alpha CA(d')} + \frac{(2c-1)\alpha CA(d')}{n - \alpha CA(d')} \cdot \frac{(2c-1)\alpha CA(d')}{n - \alpha CA(d')} \quad (3)$$

Here the factors  $\frac{n-2c\alpha CA(d')}{n-\alpha CA(d')}$  and  $\frac{(2c-1)\alpha CA(d')}{n-\alpha CA(d')}$  correspond to the probabilities that the ball falls within the space  $\text{space}(all) \setminus (\text{space}(w_o \cup w'_o))$  and  $\text{space}(w_o \setminus w'_o)$ , respectively, from the total available space  $n - \alpha CA(d')$  (corresponding to  $\text{space}(all) \setminus \text{space}(w_o)$ ). Then for the first case, the probability of overlap is  $\frac{a CA(d')}{n - \alpha CA(d')}$ , and it is lowered by a factor  $2c - 1$  in the second case as described above. When we next throw the second point, the probability of overlap with the remaining points in  $S_1$  (which do not already overlap with points from  $S_2$ ) becomes  $\frac{n-2c(\alpha+1)CA(d')}{n-(\alpha+1)CA(d')} \cdot \frac{(a-1)CA(d')}{n-(\alpha+1)CA(d')} + \frac{(2c-1)(\alpha+1)CA(d')}{n-(\alpha+1)CA(d')} \cdot \frac{(2c-1)(a-1)CA(d')}{n-(\alpha+1)CA(d')}$  or  $\frac{n-2c\alpha CA(d') - CA(d')}{n-(\alpha+1)CA(d')} \cdot \frac{a CA(d')}{n-(\alpha+1)CA(d')} + \frac{(2c-1)\alpha CA(d')}{n-(\alpha+1)CA(d')} \cdot \frac{(2c-1)\alpha CA(d')}{n-(\alpha+1)CA(d')}$ , depending on whether the previous point resulted in a hit or miss, respectively.

As it can be seen from the formulas, there are non-trivial changes to the probabilities after throwing a point depending on whether it resulted in a hit or a miss. That is, the probability of  $k$  hits after throwing  $a$  ( $> k$ ) balls in this model is determined not only by the values of  $k$ ,  $a$ , and the available space for the points, but also by the order of the hits among the  $a$  thrown points. While given a complete specification of the problem (namely, the parameters  $p$ ,  $d$ ,  $s$ ,  $r$ , and  $\alpha$ ), we can compute the probability of the quantity  $z = |\pi_x(S_1) \cap \pi_x(S_2)|$  taking on any given value, a lack of complete characterization of this distribution prevents us from determining its mean value and therefore clearly defining a strategy for the distinguishing attack.

To mitigate the issue, we propose to determine the necessary mean value by additionally simplifying the model. We proceed with the hypergeometric distribution analyzed in equation 1 for exact (rather than approximate) point overlaps. Note that when matching is approximate and each point occupies an area of size  $CA(d/2) = \pi(d/2)^2$ , we need to use bins of

size  $CA(d/2)$  instead of previous size 1. This means that  $b$  becomes  $b = n - \alpha CA(d/2)$  and each hit removes the area  $CA(d/2)$  from the available space. If we let  $X'$  denote a random variable that corresponds to the number of collisions between the elements of  $\pi_x(S_1)$  and  $\pi_x(S_2)$  in this modified setting, we obtain the mean value  $E[X'] = \frac{a^2 CA(d/2)}{b}$ , where  $a = r - \alpha$ ,  $b = n - \alpha CA(d/2)$ , and  $\alpha \geq s - t/2$  for related biometric samples and  $\alpha \leq s - t/2 - 1$  otherwise. Then based on this estimate of  $E[X']$ , the adversary's success probability can be computed using the modified equation 1 similar to equation 2 or using equation 3. We obtain that the number of spurious overlaps between chaff and other biometric points without a match would increase by approximately a multiplicative factor of  $CA(d/2)$  compared to the case when the points had to be matched exactly. While this lowers the adversary's distinguishing probability (compared, for instance, to the probabilities in Figure 2), it also substantially increases the cost of  $\text{Rec}(w', S)$  that reconstructs  $w$  from its sketch  $S$  and a legitimate related biometric  $w'$ . Therefore, to maintain usability of the secure sketch scheme, when approximate point matching is used, either the granularity of the available space  $n$  needs to be increased or the number of chaff points  $r - s$  needs to be decreased. This will allow us to keep the number of spurious overlaps low, as desired. This means that we go back to the range of adversary's success probabilities depicted in Figure 2, which are clearly unacceptably high for a security construction.

2) *Attacking irreversibility*: Now the adversary is given two sketches  $S_1$  and  $S_2$  for related biometrics  $w$  and  $w'$ , respectively, and its goal is to recover information about  $w$  beyond what can be learned due to the release of the sketch. We analyze the case when both  $S_1$  and  $S_2$  are produced using the fuzzy vault scheme. The attack strategy in this case consists of first computing the  $x$ -coordinates common to both  $S_1$  and  $S_2$ , i.e.,  $\pi_x(S_1) \cap \pi_x(S_2)$ . Recall that the resulting set contains at least  $s - t/2$  genuine points from  $w \cap w'$  as well as spurious points (i.e., other than points in  $w \cap w'$ ). The expected number of the latter is  $(r - s + t/2)^2 / (n - s + t/2)$  for related biometrics with distance  $t$ .

To attempt to recover biometric  $w$ , the adversary's attack strategy at high level is to try every subset of size  $s - t/2$  from the intersection  $\pi_x(S_1) \cap \pi_x(S_2)$ , reconstruct the polynomials that those points form in  $S_1$  and  $S_2$ , and use the remaining points of  $S_1$  and  $S_2$  to test whether the recovered polynomials could be the original polynomials that determine  $w$  and  $w'$ . In more detail, any  $s - t$  points from  $S_1$  uniquely define a polynomial of degree  $s - t - 1$ , which can be reconstructed from the  $x$  and  $y$ -coordinates included in the sketch. Then if this polynomial was the original polynomial chosen at the time of  $S_1$  creation, there will be exactly  $t$  other points in  $S_1$  lying on this polynomial, at least  $t/2$  of which must be in the intersection  $\pi_x(S_1) \cap \pi_x(S_2)$ . The attack strategy then consists of choosing  $s - t/2$  points from  $\pi_x(S_1) \cap \pi_x(S_2)$ , reconstructing the polynomial using the first  $s - t$  points and their coordinates in  $S_1$ , and checking whether the rest of the selected points ( $t/2$  of them) lie on that polynomial *and* exactly  $t/2$  points from the remaining  $r - s + t/2$  points of

On input related sketches  $S_1 = (x_1, y_1), \dots, (x_r, y_r)$  and  $S_2 = (x'_1, y'_1), \dots, (x'_r, y'_r)$ :

- 1) Compute  $\pi_x(S_1) \cap \pi_x(S_2)$ .
- 2) For each subset  $C$  of  $\pi_x(S_1) \cap \pi_x(S_2)$  of size  $s - t/2$ :
  - a) Reconstruct the two unique polynomials  $p_1(\cdot)$  and  $p_2(\cdot)$  of degree  $s - t - 1$  using the first  $s - t$  points and their  $y$ -coordinates in  $S_1$  and  $S_2$ , respectively.
  - b) Test whether all remaining  $t/2$  points lie on  $p_1(\cdot)$  and  $p_2(\cdot)$  as well. If not, proceed with the next set; otherwise, continue.
  - c) Use  $S_1$  to compute the number of points from  $\pi_x(S_1) \setminus C$  lying on  $p_1(\cdot)$ . Similarly, use  $S_2$  to compute the number of points from  $\pi_x(S_2) \setminus C$  lying on  $p_2(\cdot)$ . If both numbers equal to  $t/2$ , store  $C$  as a potential set that represents the original polynomials.
- 3) Choose one of the stored sets  $C$  at random and output the  $s$  points of  $S_1$  that lie on the corresponding polynomial  $p_1(\cdot)$  as the guess for  $w$ .

Fig. 4. Attacking irreversibility of fuzzy vault scheme.

$S_1$  lie on that polynomial as well. The same steps are then repeated for the second sketch  $S_2$ . More formally, the attack steps are given in Figure 4.

To quantify the success of this attack, let for the sake of the current description assume that  $\text{dist}(w, w') = t$  (i.e.,  $|w \cap w'| = s - t/2$ ) and let  $\ell = |\pi_x(S_1) \cap \pi_x(S_2)| - (s - t/2)$ . First note that there are  $s - t/2 + \ell$  points common to  $S_1$  and  $S_2$  and therefore there are  $\binom{s-t/2+\ell}{s-t/2} = \binom{s-t/2+\ell}{\ell}$  subsets  $C$  of size  $s - t/2$  that an attacker needs to try. Because the given sketches are related, there is at least one set  $C$  that passes verification in step 2 of Figure 4. The attacker can only fail if there are more than one pair of candidate polynomials and the attacker chooses a wrong pair. In fact, if the number of such polynomial pairs is  $k \geq 1$ , then the attacker can fully recover the biometric with probability  $1/k$ . This gives us:

$$\text{Adv}_{\mathcal{A}}^{\text{irrev}} = \frac{2^{m'}}{2^{m'} - 1} \left( \frac{1}{k} - \frac{1}{2^{m'}} \right). \quad (4)$$

We know that  $k$  is always at least 1, and we next argue that  $k$  is small. To show this, suppose that a set  $C$  is not from  $w \cap w'$  (i.e., some points of  $C$  are not genuine biometric points), but passes verification in step 2 of the attack. Both  $p_1$  and  $p_2$  generated by the points in  $C$  have to pass through all remaining  $t/2$  points of  $C$  and exactly  $t/2$  points of the remaining  $r - s + t/2$  points of  $S_1$  and  $S_2$ , respectively. The probability that each of these  $t$  points falls on a given polynomial is at most  $\frac{1}{n-1}$ . This is because the chaff points are chosen at random from  $n - 1$  options out of  $n$ . This means that if the polynomial falls on one of those options, the probability is  $\frac{1}{n-1}$ ; otherwise, if the polynomial happens to fall on the remaining field value, the probability of success is 0. Then the probability that  $t/2$  points of  $C$  happen to lie on the polynomial is at most  $(\frac{1}{n-1})^{t/2}$  and the probability that any  $t/2$  points from  $r - s + t/2$  happen to lie on the polynomial is at most  $\binom{r-s+t/2}{t/2} (\frac{1}{n-1})^{t/2}$ . To pass the verification in step 2, it must also be the case that the rest of the points from the sketch (i.e.,  $r - s$  of them) do not fall on

the reconstructed polynomials. Because the latter probability might not be significantly smaller than 1, we bound it by 1 from the above. This allows us to compute the expected value of  $k$  as follows:

$$E[k] < 1 + \left( \binom{s-t/2+\ell}{\ell} \binom{r-s+t/2}{t/2} \left( \frac{1}{n-1} \right)^t \right)^2 \quad (5)$$

where the square is due to the fact that the verification must pass for both polynomials simultaneously. Because  $s \ll r \ll n$ , the expected value of  $k$  is small. For example, using the parameters  $n = 63001$ ,  $s = 30$ ,  $t = 16$ , and  $r = 300$  suggested in [15] with  $\text{dist}(w, w') = t$  and therefore  $E[\ell] = 1$ , we obtain  $E[k] < 1 + 8.9 \cdot 10^{-122} = 1$ .

When,  $\text{dist}(w, w') < t$ , there will be multiple sets  $C$  of size  $s - t/2$  that pass verification in step 2 of the attack. These sets correspond to the same original polynomials  $p_1(\cdot)$  and  $p_2(\cdot)$  of  $S_1$  and  $S_2$ , respectively. The number of such sets is  $\binom{s-\text{dist}(w_1, w_2)/2}{t/2-\text{dist}(w_1, w_2)/2}$ , while the number of spurious sets and the corresponding polynomials that pass the verification can be characterized using a generalization of the quantity in equation 5. We obtain:

$$E[k] < \binom{s - \text{dist}(w_1, w_2)/2}{t/2 - \text{dist}(w_1, w_2)/2} + \left( \binom{s-t/2+c}{c} \binom{s - \text{dist}(w_1, w_2)/2}{t/2 - \text{dist}(w_1, w_2)/2} \right) \binom{r-s+t/2}{t/2} \left( \frac{1}{n-1} \right)^t \quad (6)$$

This analysis suggests a slight modification to the attack in Figure 4: if multiple sets  $C$  that correspond to the same polynomials  $p_1$  and  $p_2$  pass the verification in step 2, instead of choosing one of the sets at random, choose a set corresponding to the repeated polynomials  $p_1$  and  $p_2$ . In this case, the attacker's success probability approaches 1 regardless of the number of spurious sets  $C$  that pass the verification. In general, we then have that  $\text{Adv}_{\mathcal{A}}^{\text{irrev}}$  is greater or equal to the quantity given in equation 4. To summarize, we have:

*Claim 2:* The advantage  $\text{Adv}_{\mathcal{A}}^{\text{ind}}$  of adversary  $\mathcal{A}$  in the irreversibility game for the fuzzy vault scheme ( $\text{SS}(w)$ ,  $\text{Rec}(w', S)$ ) with parameters  $m$ ,  $m'$ , and  $t$ ,  $w$  consisting of  $s$  elements from  $\mathbb{F}_n$ , and a sketch  $S$  consisting of  $r$  points is:

$$\text{Adv}_{\mathcal{A}}^{\text{irrev}} \geq \frac{2^{m'}}{2^{m'} - 1} \left( \frac{1}{k} - \frac{1}{2^{m'}} \right)$$

where the expected value of  $k$ ,  $E[k]$ , is as in equation 6.

The complexity of our attack is bounded from the above by  $\binom{s-t/2+\ell}{\ell} (r-s+t/2)$  operations. Because  $\ell$  must be low for the fuzzy vault scheme to be practical, this amount of work is not expected to result in a large computational burden.

## B. Improved fuzzy vault

1) *Attacking indistinguishability:* An important observation in designing an attack strategy for this construction is that it is deterministic. This immediately implies that the same biometric will always produce the same secure sketch, giving the adversary the ability to distinguish between the sketches. Thus, as an important special case we first consider the adversary's ability to win the indistinguishability game when

On input sketches  $S_1 = (c_{s-1}, c_{s-2}, \dots, c_{s-t})$  and  $S_2 = (c'_{s-1}, c'_{s-2}, \dots, c'_{s-t})$ :

1) If  $c_{s-i} = c'_{s-i}$  for each  $i = 1, \dots, t$ , output 1; otherwise, output 0.

Fig. 5. Attacking indistinguishability of improved fuzzy vault scheme with  $w = w'$ .

no noise affects multiple sketches of the same  $w$  (this arises in several applications, where multiple keys are issued using the same copy of  $w$ ). Thus, when  $\mathcal{A}$  obtains challenge  $S_2$ , it outputs 1 if  $S_2 = S_1$  and 0 otherwise. This attack strategy is summarized in Figure 5.

The above means that when  $b = 1$ ,  $\mathcal{A}$  will always guess the bit correctly, but when  $b = 0$  it might still sometimes output 1 if the two sketches happened to be the same. The probability of the latter, however, is small and we next provide a bound on its value.

Recall that sketch  $S$  consists of  $t$  coefficients of a polynomial  $p(x) = x^s + c_{s-1}x^{s-1} + \dots + c_1x + c_0$ , where for biometric  $w = \{w_1, \dots, w_s\}$  the coefficients are  $c_{s-1} = \sum_i w_i$ ,  $c_{s-2} = \sum_{i \neq j} w_i w_j$ ,  $\dots$ ,  $c_{s-t} = \sum_{C \subset [1,s], |C|=t} (\prod_{i \in C} w_i)$ . We next give analysis of each of the coefficients  $c_i$ 's in  $S_2$  for an unrelated biometric coinciding with the respective coefficients in  $S_1$ .

First, for an unrelated random biometric  $\hat{w}$ , the probability that  $\sum_i \hat{w}_i = c_{s-1}$  is  $\frac{1}{n}$ . That is, without any restrictions, there are  $\prod_{i=0}^{s-1} (n-i)$  choices for  $s$  elements without repetitions from the set of  $n$  elements, and when the sum of the elements is fixed (in  $\mathbb{F}_n$ ), the number reduces to  $\prod_{i=1}^{s-1} (n-i)$ .

Now let us consider  $c_{s-2}$ . We start with a simpler function  $x_1 x_2 = b$  in  $\mathbb{F}_n$  for a fixed value of  $b$  and treat the common case when  $n = p^2$  for a prime  $p$ . We enumerate all possible solutions  $x_1$  and  $x_2$  for this function such that  $x_1 \neq x_2$  (since all points in a biometric are different). When  $b$  is the zero element, there are  $n-1$  unordered pairs  $(x_1, x_2)$  with  $x_1 \neq x_2$  whose product equals to  $b$  (one value is zero and the other can take  $n-1$  remaining values). All elements other than zero form a cyclic multiplicative group. Thus, if  $b \neq 0$  there are either  $\frac{n-1}{2}$  or  $\frac{n-1}{2} - 1$  pairs  $(x_1, x_2)$  with distinct  $x_1$  and  $x_2$ , when  $b$  is a quadratic non-residue or quadratic residue, respectively. This gives us that the number of pairs  $(x_1, x_2)$  satisfying the congruence for any value of  $b$  is at most  $n-1$  from the overall space of  $\frac{n(n-1)}{2}$  such pairs, giving us the fraction  $\frac{2}{n}$ .

Now recall that  $c_{s-2}$  is composed of a summation of products  $w_i w_j$  for each  $i \neq j$ . Then when there is only one product  $w_1 w_2$  (i.e.,  $s = 2$ ), we obtain that it is equal to 0 more frequently than to other values. When, however,  $s > 2$  the distribution of product values drastically changes. Because all  $w_i$  have to be unique and each  $w_i$  appears in a number of products  $w_i w_j$ , the value of the sum tends to be distributed more evenly as  $s$  increases. This means that the frequency of the most common value of  $c_{s-2}$  approaches  $\frac{1}{n}$  when  $s$  grows. To illustrate this phenomenon, we plot empirical data for small values of  $n = p^2$ . In particular, for  $s = 2, 4$ , and 6 and all possible  $w = (w_1, \dots, w_s) \in \mathbb{F}_n^s$  we find a value of the sum which occurs the highest number of times. Let that value be




Fig. 6. The ratio of the fraction of most frequent value of the sum  $c_{s-2}$  to  $\frac{1}{n}$  for different values of  $n$  and  $s$ .

denoted by  $count_{\max}$  and the fraction of all biometrics  $w$  that results in such value by  $f_{\max} = count_{\max} / \binom{n}{s}$ . To evaluate how the value of  $f_{\max}$  compares to  $\frac{1}{n}$ , we plot their ratio  $f_{\max} / \frac{1}{n}$  in Figure 6. For  $s = 2$ ,  $f_{\max} = \frac{2}{n}$  is constant; for  $s > 2$  it is clear that  $f_{\max}$  rapidly approaches  $\frac{1}{n}$  from the above even for very small values of  $s$ . This means that  $\frac{2}{n}$  is a generous upper bound on the probability that  $c_{s-2}$  of a randomly chosen  $\hat{w}$  will coincide with a specific value of that coefficient for an unrelated biometric  $w$ .

Extending this analysis to  $c_{s-3} = \sum w_i w_j w_k$ , where  $i, j$ , and  $k$  are pairwise distinct, we obtain that the most frequently occurring value of  $c_{s-3}$  is 0 and when  $s = 3$  (i.e., there is only one product). In that case, the number of possibilities that result in that product is  $\frac{(n-1)(n-2)}{2}$  out of  $\frac{n(n-1)(n-2)}{2 \cdot 3}$  total choices (and the number of possibilities when the product is non-zero is at most  $\frac{n-3}{2} \cdot \frac{n-1}{2}$ ). This gives us that the fraction of triples that can result in any given product from the overall space is  $\leq \frac{3}{n}$ . For  $c_{s-4}$ , the maximum fraction is  $\leq \frac{4}{n}$ ; for  $c_{s-5}$ , it is  $\leq \frac{5}{n}$ , etc. Therefore, the adversarial error is at most  $\frac{t!}{n^t}$ , and in practice will be close to  $\frac{1}{n^t}$  because  $s > t$ . Both of these quantities are very low even for small values of  $t$  (e.g., 2). This gives us that the probability with which the adversary can mistakenly consider two unrelated biometrics to be related is very small. The adversary's advantage in the 2-indistinguishability game then is:

$$\begin{aligned}
 Adv_{\mathcal{A}}^{\text{ind}} &= 2 \left| \Pr[b' = b] - \frac{1}{2} \right| = 2 \left| \Pr[b' = 1|b = 1] \Pr[b = 1] \right. \\
 &\quad \left. + \Pr[b' = 0|b = 0] \Pr[b = 0] - \frac{1}{2} \right| \\
 &= \left| 2 \Pr[b' = 1|b = 1] \frac{1}{2} + 2 \Pr[b' = 0|b = 0] \frac{1}{2} - 1 \right| \\
 &= \left| \Pr[b' = 1|b = 1] + 1 - \Pr[b' = 1|b = 0] - 1 \right| \\
 &= \left| \Pr[b' = 1|b = 1] - \Pr[b' = 1|b = 0] \right| > 1 - \frac{t!}{n^t}.
 \end{aligned}$$

We obtain the following result:

**Claim 3:** The advantage  $Adv_{\mathcal{A}}^{\text{ind}}$  of adversary  $\mathcal{A}$  in the 2-indistinguishability game for the improved fuzzy vault scheme  $(SS(w), Rec(w', S))$  with  $w$  consisting of  $s$  elements from  $\mathbb{F}_n$  and  $\text{dist}(w, w') \leq t$  required for reconstruction for the special case when related sketches are produced using the same  $w$  is:

$$Adv_{\mathcal{A}}^{\text{ind}} > 1 - \frac{t!}{n^t}.$$

To address the problem of distinguishability in the general case, we are now given two sketches  $S_1 = (c_{s-1}, c_{s-2}, \dots,$

On input sketches  $S_1 = (c_{s-1}, c_{s-2}, \dots, c_{s-t})$  and  $S_2 = (c'_{s-1}, c'_{s-2}, \dots, c'_{s-t})$ :

- 1) Assume that the corresponding biometrics  $w$  and  $w'$  have  $s - t/2$  elements in common.
- 2) Construct  $t$  equations generated by the coefficients in  $S_1$  and  $S_2$  and attempt to solve them.
- 3) If at least one solution is found, output 1; otherwise, output 0.

Fig. 7. Attacking indistinguishability of improved fuzzy vault scheme in the general case.

$c_{s-t}$ ) and  $S_2 = (c'_{s-1}, c'_{s-2}, \dots, c'_{s-t})$ . Suppose that the two biometrics  $w$  and  $w'$  corresponding to the sketches  $S_1$  and  $S_2$ , respectively, have  $s - k$  elements in common, where  $k$  can take any integer value from 0 up to  $s$ . That is,  $k$  elements of  $w$  are different from some other  $k$  elements of  $w'$ . In our case,  $k$  is unknown, and our goal is to determine its value, which will allow us to decide whether these two biometrics are related or not.

From Vieta's formulas, we know the relation between the roots of a normalized polynomial (i.e., when the leading coefficient is 1) and its coefficients. For example, the summation of the roots is equal to the negative of the second leading coefficient. Using that information, we can easily derive equations for the elements not common to the biometrics and the coefficients in the given sketches by subtracting coefficients of the sketches. The first two equations are:

$$\begin{aligned}
 c_{s-1} - c'_{s-1} &= \sum_{i=1}^{i=k} w_i - \sum_{i=1}^{i=k} w'_i \\
 c_{s-2} - c'_{s-2} &= (c_{s-1} - \sum_{i=1}^{i=k} w_i) \sum_{i=1}^{i=k} w_i + \sum_{i,j=1, i \neq j}^{i,j=k} w_i w_j \\
 &\quad - (c'_{s-1} - \sum_{i=1}^{i=k} w'_i) \sum_{i=1}^{i=k} w'_i - \sum_{i,j=1, i \neq j}^{i,j=k} w'_i w'_j
 \end{aligned}$$

where  $w_i$ 's and  $w'_i$ 's are the elements that do not appear in  $w'$  and  $w$ , respectively, and are therefore the roots not common to the polynomials in  $S_1$  and  $S_2$ .

Similar to the above equations, we can construct all  $t$  equations generated by the first known  $t$  coefficients of the two sketches. To be able to do so, however, we will have to guess the value of  $k$ . Here, the adversary's strategy is to set the value of  $k$  to  $t/2$ . Then if these two sketches are in fact related with  $\text{dist}(w, w') = t$ , the equations can be solved for  $w_i$ 's and  $w'_i$ 's. This attack strategy is described in Figure 7.

If the sketches are related and the distance between them is less than  $t$ , the adversary is overestimating their difference (i.e.,  $k < t/2$ ), yet the equations will lead to an acceptable solution. That is, in case of  $\text{dist}(w, w') < t$ , some roots in the equations corresponding to the elements of  $w$  will be equal to roots corresponding to the elements of  $w'$ . Therefore, if the biometrics are indeed related, the adversary will find acceptable and valid solutions for the equations and with probability 1 will output a correct guess that the biometrics are related.

If the sketches, however, are not related, the adversary will do her best to solve the equations. There are two possible cases: (i) the adversary does not find any valid solution in the field for this equation set and thus outputs that the biometrics are not related or (ii) the adversary in fact finds a valid and acceptable solution set to these equations and outputs that the biometrics are related. Because in the latter case the adversary makes a wrong guess, we need to find the probability that two non-related sketches lead to a set of equations that will result in a valid solution in the field.

To do so, we re-write the adversary's advantage in the 2-indistinguishability game as

$$\begin{aligned}
 \text{Adv}_{\mathcal{A}}^{\text{ind}} &= 2 |\Pr[b' \neq b] - 1/2| = 2 |\Pr[b' \neq b | b = 1] \Pr[b = 1] \\
 &\quad + \Pr[b' \neq b | b = 0] \Pr[b = 0] - 1/2|
 \end{aligned}$$

We also know that  $\Pr[b' \neq b | b = 1] = 0$  and let  $\Pr[b' \neq b | b = 0] = q$ . Then we obtain  $\text{Adv}_{\mathcal{A}}^{\text{ind}} = 2 |(1/2)q - 1/2| = 1 - q$ . To find a bound for probability  $q$ , we use the fact that each sketch is a set of coefficients of an  $s$ -degree polynomial. This means that the total number of biometrics in this representation is  $\binom{n}{s}$  and the total number of related biometrics is  $R = \sum_{i=0}^{t/2} \binom{s}{i} \binom{n-s}{i}$ , where  $i$  represents the number of elements in a biometric that are different from the original one. This give us the total number of non-related biometrics  $NR = \binom{n}{s} - R$ . We can see that  $R$  is dominated mainly by the last factor, i.e.,  $\binom{s}{t/2} \binom{n-s}{t/2}$ .

When we reveal  $t$  coefficients, we are looking at a space of size  $n^t$  since each coefficient can take any value from the field. In total, we could have  $n^t$  possibilities for sketches. On the other hand, we can have up to  $R$  related sketches for any given biometric. To determine how closely the above analysis corresponds to the numbers that can be empirically observed, we performed experiments for different values of  $s$  and  $t$  with fixed  $p$  and counted the number of unique sketches that related and non-related biometrics generate. In our experiments, we observed that each related biometric generates a different set of coefficients and thus produces a unique sketch among the sketches corresponding to related biometrics. Therefore, from the overall possible space (of size  $n^t$ ), sketches for biometrics related to any given biometric  $w$  occupy a subset of size  $R$ .

The next step is to determine the distribution of non-related sketches over the entire possible set of sketches, which will allow us to find the probability of error. That is, the distribution of the non-related sketches of a given biometric will allow us to determine the number of them colliding with the related sketches. Our experiments (detailed below) suggest that this distribution is uniform over the entire range of possibilities that non-related sketches can take. This information tells us that the expected number of non-related biometrics which generate sketches that are the same as one of the related sketches will be approximately  $(R/(n^t) \cdot NR)$ ; we call this number "the error count." The error count allows us to compute the probability that the adversary fails to determine the answer correctly. That is, given non-related sketches  $S_1$  and  $S_2$ , the adversary declares them as related when another sketch related to  $S_1$  is the same as  $S_2$ . This probability is the ratio of the error count and the total number of sketches produced in this

TABLE I

THE TOTAL NUMBER OF COLLISIONS BETWEEN RELATED AND UNRELATED SKETCHES (ERROR COUNT) BASED ON THEORETICAL ANALYSIS (DENOTED “COMPUTED”) AND EXPERIMENTAL VALIDATION (DENOTED “OBSERVED”).

Biometric size	$t = 2$		$t = 4$		$t = 6$	
	computed	observed	computed	observed	computed	observed
$s = 6$	32,565	32,221	1,196	1,080	N/A	N/A
$s = 7$	97,652	97,429	4,081	4,392	58	0
$s = 8$	237,050	236,972	10,883	11,577	179	34

setting,  $\binom{n}{s}$ , which gives us  $(R/(n^t) \cdot (NR/\binom{n}{s}))$ . We can see that  $NR$  is fairly close to  $\binom{n}{s}$  when  $t$  is not large, giving us an approximation of the failure probability  $q \approx R/(n^t)$ .

To confirm this analysis, we show our experimental results. In the experiments, we counted the total number of collisions between related and non-related sketches to produce the value of the error count and compared it to the value computed according to the formula. The experiments were run for  $s = 6, 7, 8$  when  $p$  was set to 5. We provide the error count values both computed according to the formula and empirically counted (observed) in Table I. It is clear that there is a small difference between the two types of values.

To simplify the expression for  $q$  and find a lower bound on the adversary’s advantage, we use an approximation of the formula  $q \approx \binom{s}{t/2} \binom{n-s}{t/2} / (n^t)$  where we replace  $\binom{n}{k}$  with  $\leq n^k / (k!)$  and obtain  $q \lesssim (s(n-s))^{t/2} / ((t/2)!^2 n^t)$ . The maximum of this function happens when  $s = n/2$  and  $t = 2$  which leads to  $q$  taking the value  $1/4$ . We obtain that  $\text{Adv}_{\mathcal{A}}^{\text{ind}} \gtrsim 3/4$  regardless of the values of  $n, s$ , or  $t$ . We summarize this result as:

*Claim 4:* The advantage  $\text{Adv}_{\mathcal{A}}^{\text{ind}}$  of adversary  $\mathcal{A}$  in the 2-indistinguishability game for the improved fuzzy vault scheme  $(\text{SS}(w), \text{Rec}(w', S))$  with  $w$  consisting of  $s$  elements from  $\mathbb{F}_n$  and  $\text{dist}(w, w') \leq t$  required for reconstruction is:

$$\text{Adv}_{\mathcal{A}}^{\text{ind}} \gtrsim 3/4.$$

Note that the adversary’s computation is mainly dominated by methods for solving the equations. The first equation has degree 1 and each consecutive equation’s degree increases by one from the one before. Overall, we have  $t$  variables and the last equation has degree  $t$ . Solving this equation set of multivariate polynomials is generally an NP-complete problem [17]. In our case, however, we can eliminate some possibilities and determine the complexity of the search space. In particular, we know that the variables  $w_i$  are different from each others and so are  $w'_i$ . The total number of possibilities for assigning values to these variables from a field of  $n = p^2$  elements is  $\binom{n}{t/2}^2$ , which is roughly  $(\frac{1}{\pi t}) (\frac{2en}{t})^t$ . Therefore, for small values of  $n$  and  $t$  this attack is quite feasible for a computationally bounded adversary. On the other hand, when  $n$  and  $t$  increase, existing publications such as [17] show how to approach the general problem of solving multivariate polynomial equations over a finite field. One can apply these methods to reduce the complexity of the proposed attack. We can therefore conclude that the improved fuzzy vault scheme is computationally resistant to our attack for very large values of  $n$  and  $t$ . However, in reality, the more common case is

On input sketches  $S_1 = (s_1, s_3, \dots, s_{2t-1})$  and  $S_2 = (s'_1, s'_3, \dots, s'_{2t-1})$ :

- 1) Let  $\sigma_i = s'_i - s_i$  for each  $i = 1, 3, \dots, 2t-1$ .
- 2) Compute  $|\text{supp}(v)|$  such that  $\text{syn}(v) = (\sigma_1, \sigma_3, \dots, \sigma_{2t-1})$ .
- 3) If  $|\text{supp}(v)| \leq t$ , output 1; otherwise, output 0.

Fig. 8. Attacking indistinguishability of Pinsketch scheme.

when the difference between biometrics is fairly small. We have seen when  $t = 0$  this attack becomes relatively simple to be performed. Also when  $t$  is a small number, the computation complexity of  $O(n^t)$  can be affordable.

2) *Attacking irreversibility:* Now the goal is to extract the original biometric  $w$ , given its secure sketch  $S_1$  and a sketch  $S_2$  of a related biometric  $w'$ . Note that the strategy in attacking indistinguishability of the improved fuzzy vault scheme recovers biometric points in order to determine whether  $w$  and  $w'$  are related or not. It is important to notice, however, that the points that the adversary recovers are those by which  $w$  and  $w'$  differ from each other. Therefore, even though the adversary can learn  $t/2$  points of  $w$  and  $t/2$  points of  $w'$  (including some points common to them if  $\text{dist}(w, w') < t$ ), this strategy does not lead to the recovery of sufficient information to gain a non-negligible advantage in the irreversibility game. In particular, the entropy loss of this type of secure sketch is  $t \log n$ , which is the same as recovering  $t$  biometric points. We thus obtain that if the adversary uses  $t$  recovered points and guesses the remaining  $s - t$  points it cannot win the irreversibility game with a sufficiently large probability. The success probability, however, can substantially grow when the adversary is able to obtain more than two sketches that correspond to related biometrics. After recovering  $t$  points from each pair of sketches, the adversary will likely be able to obtain a larger number of points of  $w$  and thus gain a non-negligible advantage in recovering information about  $w$  which is not available from its single sketch  $S_1$ .

### C. Pinsketch

1) *Attacking indistinguishability:* The adversary receives two secure sketches  $S_1 = \text{syn}(w_1) = (s_1, s_3, \dots, s_{2t-1})$  and  $S_2 = \text{syn}(w_2) = (s'_1, s'_3, \dots, s'_{2t-1})$ , and its goal is to determine the coin flip, i.e., whether the biometrics  $w$  and  $w'$  are related or not. Because the reconstruction procedure requires computation of the syndrome of the (noisy) biometric, the adversary’s strategy in this case is simple and shown in Figure 8.

To analyze the success probability of  $\mathcal{A}$ , we first note that the adversary will always guess correctly when  $w$  and  $w'$  are related. When  $w$  and  $w'$  are not related, the resulting  $\text{syn}(v)$  can either be decodable or not decodable. Because a linear code (i.e., BCH) is used, the success probability of the adversary is exactly the success probability in distinguishing sketches in the syndrome construction with linear codes analyzed in [6]. The analysis of [6] shows that the probability of decoding  $\text{syn}(v)$  when  $w$  and  $w'$  are unrelated is small, and the adversary wins the game with overwhelming probability.

We refer the reader to [6] for additional definitions regarding linear codes and their analysis.

2) *Attacking irreversibility*: Given a secure sketch  $S_1$  for biometric  $w$  produced using a  $(n, k_1, d_1)$ -linear code  $C_1$  in a secure sketch construction with parameters  $m, m'_1$ , and  $t_1$  and a secure sketch  $S_2$  for biometric  $w'$  produced using a  $(n, k_2, d_2)$ -linear code  $C_2$  in a secure sketch construction with parameters  $m, m'_2, t_2$ , [6] shows that when  $w = w'$ , the adversary's advantage in recovering  $w$  for the syndrome construction is

$$\text{Adv}_{\mathcal{A}}^{\text{irrev}} = \frac{1}{2^{\min(m'_1, m'_2)} - 1} \left( \frac{2^{\min(m'_1, m'_2)}}{2^{k_1+k_2} - \text{Rank}(G_{1,2})} - 1 \right)$$

where  $G_{1,2}$  denotes the  $(k_1 + k_2) \times n$  matrix  $\begin{bmatrix} G_1 \\ G_2 \end{bmatrix}$  and  $G_1$  (resp.,  $G_2$ ) is the generator matrix of  $C_1$  (resp.,  $C_2$ ). For Pinskech construction, we have  $k_1 = n - t_1\lambda$ ,  $k_2 = n - t_2\lambda$ ,  $d_1 = 2t_1 + 1$ , and  $d_2 = 2t_2 + 1$  with binary codes (i.e., over  $\mathbb{F}_2$ ), where  $n = 2^\lambda - 1$  [2]. When, however,  $w \neq w'$ , the adversary will need to iterate over all possible error patterns and verify its guess, which becomes large when  $t$  is large. We refer the reader to [6] for additional details.

#### IV. ANALYSIS OF EDIT DISTANCE CONSTRUCTION

Dodis et al. [2] describe two alternative ways of realizing the secure sketch construction for the edit distance given in Section II-C. The first consists of applying an existing low-distortion embedding (that does not significantly change the distance between two biometrics after the mapping) of the edit distance into the Hamming distance and then using a syndrome construction for the Hamming distance to produce the public data. The second includes the application of a specially designed embedding of the edit distance into the set difference metric using so-called  $c$ -shinglings. After the embedding of a biometric is performed, the Pinskech construction is applied to the resulting representation to compute the sketch. Note that in both of the above cases linear error-correcting codes are used, which means that the strategy and the analysis of [6] is applicable to both cases. We conclude that constructions for the edit distance metric do not achieve the indistinguishability and irreversibility properties.

#### V. RELATED WORK

The overall literature on secure sketches and fuzzy extractors is very extensive, especially in biometric-related venues, and its overview is beyond the scope of this work. We therefore highlight the most fundamental results and the analysis related to this work.

Davida et al. [18] first proposed an off-line biometric authentication scheme, where a user authenticates by presenting a signed output of a hash function over her biometric and other attributes tied to her. Error-correcting codes are used to reconstruct the original biometric from its noisy consecutive readings. Juels and Wattenberg [19] developed a so-called fuzzy commitment scheme, which became the basis of the code-offset secure sketch construction for the Hamming distance. Juels and Sudan proposed a fuzzy vault scheme in [11],

which is a secure sketch construction for the set difference metric. Dodis et al. formalized the notion of secure sketches and fuzzy extractors in their seminal work [1], [2]. That work proposed a generic conversion from a secure sketch to a fuzzy extractor, and developed a number of new or improved schemes for three distance metrics (the Hamming distance, set difference, and edit distance), most of which are outlined earlier in this work.

Security requirements for adequate use of fuzzy sketches and extractors in cryptographic applications have been developing over time. Boyen [5] showed that a number of the original constructions cannot be safely applied multiple times to the same biometric, significantly limiting their usability in practice. That work developed improved constructions using a certain type of error-correcting codes and permutation groups that satisfy the reusability requirements. Later Scheirer and Boulton [12] proposed three classes of attacks on secure sketches and fuzzy vault in particular: (1) the record multiplicity attack which takes advantage of a link between related helper data (similar to multiple uses above), (2) the surreptitious key-inversion attack, where the adversary tries to recover the biometric based on any revealed key and corresponding helper data, and (3) the blended substitution attack which considers the problem of injecting false data into the stored records of helper data. The above record multiplicity (or correlation) attack has been empirically evaluated by Kholmatov and Yanikoglu [13] on the fuzzy vault scheme using a database of 400 fuzzy vault sketches (200 matching pairs). The authors were able to unlock (i.e., reconstruct the polynomial) 118 out of 200 pairs within a short period of time using two related vaults. The fuzzy vaults were constructed using polynomials of degree 8 and 200 chaff points. We note that this evaluation was performed on a specific set of parameters already knowing that two stored sketches are related. Our analysis, on the other hand, is more general and can be applied to a wide variety of parameters. Furthermore, it does not assume prior knowledge of related sketches, but rather helps to identify those records. Poon and Miri [14] also describe collusion attacks on the fuzzy vault scheme assuming that the sketches are related. Finally, Simoens et al. [6] introduced the notions of indistinguishability and irreversibility for reusable sketches and showed weaknesses of code-offset and permutation groups constructions. Here we analyze other existing constructions with respect to the indistinguishability and irreversibility properties. The follow-up work [20] investigates similar issues in the continuous domain.

More recently, Simoens et al. [21] provide three different attack strategies for an internal adversary. The approach is general, although it requires a considerable number of queries and thus can be prevented by limiting such queries. In a two-part series of papers [22], [23], Lai et al. study for any key-binding or key-generating biometric cryptosystem the fundamental trade-offs among security (the length of the generated key), privacy (conditional entropy of the biometric measurements given the helper data), and key protection (conditional entropy of the key given the helper data) in two different cases. The first case [22] is when the biometric sample is used in only one system and the second study [23] considers the case

when the same biometric information is used in multiple systems and the attacker will try to combine the data stored in different databases to gain information about either the biometric measurements or the generated keys. In both studies, the authors propose schemes that achieve any point on the chosen trade-off curve. Lastly, Wang et al. provide in [24] an information-theoretic analysis of information leakage and revocability for error-correcting code based implementation of fuzzy commitments and secure sketches. Both [24] and our work [7] show that if the stored data is padded with a one-time key, then the system is resistant against linkage attacks across multiple enrollments.

## VI. CONCLUSIONS

This work investigates the security properties of a number of constructions for secure sketches and corresponding fuzzy extractors. We show that, in addition to the constructions that have been previously shown to have security weaknesses, other existing constructions do not meet our security expectations when they are reused on related biometrics. In particular, we analyze a number of secure sketch constructions from the literature for the set difference and edit distance metrics with respect to their indistinguishability and irreversibility in presence of very weak adversaries. Our analysis indicates that none of the schemes can be safely reused.

## ACKNOWLEDGMENTS

Portions of this work were supported by grant AFOSR-FA9550-09-1-0223 from the Air Force Office of Scientific Research and CNS-1223699 from the National Science Foundation. Any opinions, findings, and conclusions or recommendations expressed in this publication are those of the authors and do not necessarily reflect the views of the AFOSR and NSF.

## REFERENCES

- [1] Y. Dodis, L. Reyzin, and A. Smith, "Fuzzy extractors: How to generate strong keys from biometrics and other noisy data," in *Advances in Cryptology – EUROCRYPT*, 2004, pp. 523–540.
- [2] Y. Dodis, R. Ostrovsky, L. Reyzin, and A. Smith, "Fuzzy extractors: How to generate strong keys from biometrics and other noisy data," *SIAM Journal of Computing*, vol. 38, no. 1, pp. 97–139, 2008.
- [3] A. Smith, "Maintaining secrecy when information leakage is unavoidable," PhD Dissertation, MIT, Aug. 2004.
- [4] Y. Dodis and A. Smith, "Correcting errors without leaking partial information," in *ACM Symposium on Theory of Computing (STOC)*, 2005, pp. 654–663.
- [5] X. Boyen, "Reusable cryptographic fuzzy extractors," in *ACM Conference on Computer and Communications Security (CCS)*, 2004, pp. 82–91.
- [6] K. Simoens, P. Tuyls, and B. Preneel, "Privacy weaknesses in biometric sketches," in *IEEE Symposium on Security and Privacy*, 2009, pp. 188–203.
- [7] M. Blanton and M. Aliasgari, "On the (non-)reusability of fuzzy sketches and extractors and security improvements in the computational setting," in *International Conference on Security and Cryptography (SECRYPT)*, 2011, pp. 68–77.
- [8] —, "On the (non-)reusability of fuzzy sketches and extractors and security improvements in the computational setting," Cryptology ePrint Archive Report 2012/608, 2012.
- [9] N. Nisan and D. Zuckerman, "Randomness is linear in space," *Journal of Computer and System Sciences*, vol. 52, no. 1, pp. 43–53, 1996.

- [10] N. Nisan and A. Ta-Shma, "Extracting randomness: A survey and new constructions," *Journal of Computer and System Sciences*, vol. 58, pp. 148–173, 1999.
- [11] A. Juels and M. Sudan, "A fuzzy vault scheme," in *International Symposium on Information Theory*, 2002.
- [12] W. Scheirer and T. Boulton, "Cracking fuzzy vaults and biometric encryption," in *IEEE Biometrics Symposium*, 2007, pp. 1–6.
- [13] A. Kholmatov and B. Yanikoglu, "Realization of correlation attack against the fuzzy vault scheme," in *Security, Forensics, Steganography, and Watermarking of Multimedia Contents*, 2008.
- [14] H. Poon and A. Miri, "A collusion attack on the fuzzy vault scheme," *ISC International Journal of Information Security*, vol. 1, no. 1, pp. 27–34, 2009.
- [15] T. Clancy, N. Kiyavash, and D. Lin, "Secure smartcard-based fingerprint authentication," in *ACM SIGMM Workshop on Biometrics Methods and Applications*, 2003, pp. 45–52.
- [16] S. Pankanti, S. Prabhakar, and A. Jain, "On the individuality of fingerprints," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 24, no. 8, pp. 1010–1025, Aug. 2002.
- [17] J. Ding and D. Schmidt, "Mutant Zhuang-Zi algorithm," in *Post-Quantum Cryptography*, ser. LNCS, vol. 6061, 2010, pp. 28–40.
- [18] G. Davida, Y. Frankel, and B. Matt, "On enabling secure applications through off-line biometric identification," in *IEEE Symposium on Security and Privacy*, 1998, pp. 148–157.
- [19] A. Juels and M. Wattenberg, "A fuzzy commitment scheme," in *ACM Conference on Computer and Communications Security (CCS)*, 1999, pp. 28–36.
- [20] I. Buhan, J. Breebaart, J. Guajardo, K. de Groot, E. Kelkboom, and T. Akkermans, "A quantitative analysis of indistinguishability for a continuous domain biometric cryptosystem," in *International Workshop on Data Privacy Management (DPM)*, ser. LNCS, vol. 5939, 2010, pp. 78–92.
- [21] K. Simoens, J. Bringer, H. Chabanne, and S. Seys, "A framework for analyzing template security and privacy in biometric authentication systems," *IEEE Transactions on Information Forensics and Security*, vol. 7, no. 3, pp. 833–841, 2012.
- [22] L. Lai, S.-W. Ho, and H. Poor, "Privacy-security trade-offs in biometric security systems — Part I: Single use case," *IEEE Transactions on Information Forensics and Security*, vol. 6, no. 1, pp. 122–139, 2011.
- [23] —, "Privacy-security trade-offs in biometric security systems — Part II: Multiple use case," *IEEE Transactions on Information Forensics and Security*, vol. 6, no. 1, pp. 140–151, 2011.
- [24] Y. Wang, S. Rane, S. Draper, and P. Ishwar, "An information-theoretic analysis of revocability and reusability in secure biometrics," in *Information Theory and Applications Workshop (ITA)*, 2011.

**Marina Blanton** is an Assistant Professor in the Department of Computer Science and Engineering at the University of Notre Dame. She received her B.S. in CS from Tyumen State Oil and Gas University in 1999, M.S. in EECS from Ohio University in 2002, M.S. in CS from Purdue University in 2004, and Ph.D. in CS from Purdue University in 2007. Her research interests lie in information security, privacy, and applied cryptography. She is a recipient of the Young Investigator Award from the Air Force Office of Scientific Research.

**Mehrdad Aliasgari** received a B.S. in EE from Sharif University of Technology in 2008 and is about to receive his Ph.D. in CS from the University of Notre Dame. Starting from August 2013, he will be an Assistant Professor in the Computer Engineering and Computer Science Department at the California State University, Long Beach. His research interests are in information security, secure computation and outsourcing, and security in biometrics.