

Math 123: Integration By Parts and Trig Integrals

Ryan Blair

CSU Long Beach

Thursday August 29, 2013

Outline

1 Integration By Parts

2 Trig Integrals

Integration by Parts

$$\int u(x)v'(x)dx = u(x)v(x) - \int u'(x)v(x)dx$$

Integration by Parts

$$\int u(x)v'(x)dx = u(x)v(x) - \int u'(x)v(x)dx$$

Example: Find $\int xe^x dx$.

Integration by Parts

$$\int u(x)v'(x)dx = u(x)v(x) - \int u'(x)v(x)dx$$

Example: Find $\int xe^x dx$.

Key: Let u be the function that gets simpler as you differentiate.

Integration by Parts

$$\int u(x)v'(x)dx = u(x)v(x) - \int u'(x)v(x)dx$$

Example: Find $\int xe^x dx$.

Key: Let u be the function that gets simpler as you differentiate.

Example: Find $\int x^2 \sin(x) dx$.

Integration by Parts

$$\int u(x)v'(x)dx = u(x)v(x) - \int u'(x)v(x)dx$$

Example: Find $\int xe^x dx$.

Key: Let u be the function that gets simpler as you differentiate.

Example: Find $\int x^2 \sin(x) dx$.

Key: Multiple iterations may be necessary.

Integration by Parts

$$\int u(x)v'(x)dx = u(x)v(x) - \int u'(x)v(x)dx$$

Example: Find $\int xe^x dx$.

Key: Let u be the function that gets simpler as you differentiate.

Example: Find $\int x^2 \sin(x) dx$.

Key: Multiple iterations may be necessary.

Example: Find $\int \cos(x)e^x dx$.

Integration by Parts

$$\int u(x)v'(x)dx = u(x)v(x) - \int u'(x)v(x)dx$$

Example: Find $\int xe^x dx$.

Key: Let u be the function that gets simpler as you differentiate.

Example: Find $\int x^2 \sin(x) dx$.

Key: Multiple iterations may be necessary.

Example: Find $\int \cos(x)e^x dx$.

Key: If the original integral reappears then we are done!

Integration by Parts

$$\int u(x)v'(x)dx = u(x)v(x) - \int u'(x)v(x)dx$$

Example: Find $\int xe^x dx$.

Key: Let u be the function that gets simpler as you differentiate.

Example: Find $\int x^2 \sin(x) dx$.

Key: Multiple iterations may be necessary.

Example: Find $\int \cos(x)e^x dx$.

Key: If the original integral reappears then we are done!

Example: Find $\int \ln(x) dx$.

Integration by Parts

$$\int u(x)v'(x)dx = u(x)v(x) - \int u'(x)v(x)dx$$

Example: Find $\int xe^x dx$.

Key: Let u be the function that gets simpler as you differentiate.

Example: Find $\int x^2 \sin(x) dx$.

Key: Multiple iterations may be necessary.

Example: Find $\int \cos(x)e^x dx$.

Key: If the original integral reappears then we are done!

Example: Find $\int \ln(x) dx$.

Key: Sometimes by-parts can be used to integrate functions we know how to differentiate.

How do we integrate Trigonometric functions?

Example: $\int \sin(x)dx$ and $\int \cos(x)dx$.

How do we integrate Trigonometric functions?

Example: $\int \sin(x)dx$ and $\int \cos(x)dx$.

Example: $\int \sin^3(x)dx$

How do we integrate Trigonometric functions?

Example: $\int \sin(x)dx$ and $\int \cos(x)dx$.

Example: $\int \sin^3(x)dx$

For $\int \cos^{\text{odd}}(x)dx$ or $\int \sin^{\text{odd}}(x)dx$ use

$$\cos^2(x) + \sin^2(x) = 1$$

and u-substitution

How do we integrate Trigonometric functions?

Example: $\int \sin(x)dx$ and $\int \cos(x)dx$.

Example: $\int \sin^3(x)dx$

For $\int \cos^{\text{odd}}(x)dx$ or $\int \sin^{\text{odd}}(x)dx$ use

$$\cos^2(x) + \sin^2(x) = 1$$

and u-substitution

Example: $\int \cos^5(x)dx$

How do we integrate Trigonometric functions?

Example: $\int \sin^2(x) dx$

How do we integrate Trigonometric functions?

Example: $\int \sin^2(x) dx$

For $\int \cos^{\text{even}}(x) dx$ or $\int \sin^{\text{even}}(x) dx$ use

$$\cos^2(x) = \frac{1}{2}(1 + \cos(2x))$$

$$\sin^2(x) = \frac{1}{2}(1 - \cos(2x))$$

possibly multiple times

How do we integrate Trigonometric functions?

Example: $\int \sin^2(x) dx$

For $\int \cos^{\text{even}}(x) dx$ or $\int \sin^{\text{even}}(x) dx$ use

$$\cos^2(x) = \frac{1}{2}(1 + \cos(2x))$$

$$\sin^2(x) = \frac{1}{2}(1 - \cos(2x))$$

possibly multiple times

Example: $\int \cos^4(x) dx$

How do we integrate Trigonometric functions?

Example: $\int \sin^2(x)\cos^3(x)dx.$

How do we integrate Trigonometric functions?

Example: $\int \sin^2(x)\cos^3(x)dx$.

For $\int \sin^{\text{anything}}(x)\cos^{\text{odd}}(x)dx$ or $\int \cos^{\text{anything}}(x)\sin^{\text{odd}}(x)dx$ use

$$\cos^2(x) + \sin^2(x) = 1$$

and u-substitution

How do we integrate Trigonometric functions?

Example: $\int \sin^2(x)\cos^3(x)dx$.

For $\int \sin^{\text{anything}}(x)\cos^{\text{odd}}(x)dx$ or $\int \cos^{\text{anything}}(x)\sin^{\text{odd}}(x)dx$ use

$$\cos^2(x) + \sin^2(x) = 1$$

and u-substitution

Question: What about $\int \sin^{\text{even}}(x)\cos^{\text{even}}(x)dx$

How do we integrate Trigonometric functions?

Example: $\int \tan(x)\sec^4(x)dx.$

How do we integrate Trigonometric functions?

Example: $\int \tan(x)\sec^4(x)dx.$

For integrals involving $\tan(x)$ and $\sec(x)$ use

$$1 + \tan^2(x) = \sec^2(x)$$

and u-substitution.

Some Challenges

Example: Find $\int \sec(x) dx$.

Example: Find $\int \sec^3(x) dx$.