

CECS 419-519, Writing Assignment 2, Due 8:00 am, February 9th,
2024, Dr. Ebert

Directions

Make sure name is on all pages. Order pages (front and back) so that solutions are presented in their original numerical order. **Please no staples or folding of corners (your papers won't get lost). A paper clip is OK** Show all necessary work and substantiate all claims. Avoid plagiarism.

Problems

1. An instance of the **Zero** decision problem is a Gödel number x and the problem is to decide if P_x outputs 0 on every input. Let $d_{\text{Zero}}(x)$ be the decision function for **Zero** and consider the following antagonist function $g(x)$ which diagonalizes against all computable functions in an attempt to contradict the assumption that $d_{\text{Zero}}(x)$ is total computable.

$$g(x) = \begin{cases} 1 & \text{if } d_{\text{Zero}}(x) = 1 \\ 0 & \text{otherwise} \end{cases}$$

Has the antagonist succeeded? In other words, based on g 's definition, may we conclude that $d_{\text{Zero}}(x)$ cannot be total computable? Explain. (20 pts)

2. An instance of the problem **Identity** decision problem is a Gödel number x , and the problem is to decide if $P_x(i) = i$ for all $i \geq 0$. Prove that the **Zero** decision problem is Turing reducible to the **Identity** decision problem. Do this by writing a program that decides the **Zero** decision problem and is able to make calls to the function $\text{query}_{\text{ID}}(x)$ which returns 1 iff x is a positive instance of **Identity**. Conclude that the **Identity** decision problem is undecidable (since the **Zero** problem was proved undecidable in lecture). (20 pts)
3. Consider the following proposal for solving the equation $\phi_e(y) = f(y, e)$. In other words, the goal is to write a URM-program P that computes the unary function $f(y)$ and where P is able to make references to its own Gödel number e . To do this, the programmer assumes that at run time e will be placed in register R_2 . Therefore, the programmer treats R_2 as a "read only" register and reads from R_2 whenever a computation involving e is desired. Prove or disprove: when using the above method, the equation $\phi_e(y) = f(y, e)$ does in fact hold for all inputs y and all Gödel numbers e so long as P_e does not make use of the instructions: $Z(2)$, $S(2)$, and $T(i, 2)$ for any $i \neq 2$. (20 pts)
4. An instance of the decision problem **One** is a Gödel number x , and the problem is to decide if function ϕ_x equals the **one** function, i.e. the function that outputs 1 on every input. Consider the decider function

$$d_{\text{one}}(x) = \begin{cases} 1 & \text{if } \phi_x(y) = 1 \text{ for all inputs } y \\ 0 & \text{otherwise} \end{cases}$$

- (a) Evaluate $d_{\text{One}}(x)$ for each of the following Gödel number's x . Explain your reasoning. (3 pts each)
- $x = e_1$, where e_1 is the Gödel number of the program $P = S(2), T(2, 1), J(1, 2, 1)$
 - $x = e_2$, where e_2 is the Gödel number of the program $P = Z(1), S(1), S(2), J(1, 2, 1)$.
 - $x = e_3$, where e_3 is the Gödel number of the program that computes $d_{\text{One}}(x)$ (assuming it is URM computable).
- (b) Prove that $d_{\text{One}}(x)$ is not URM computable. In other words, there is no URM program that, on input x , always halts and either outputs 1 or 0, depending on whether or not ϕ_x equals the **one** function. Do this by writing a program P that uses $d_{\text{One}}(x)$ and makes use of the **self** programming concept. Then explain why P creates a contradiction. (15 pts)
5. Consider a model of computation \mathcal{M} that is similar to the URM model, but has more instructions and hence allows for more time-efficient computations. For example, there exists a universal \mathcal{M} -program P_U which, for any program P_e , is capable of simulating a single step of $P_e(x)$ in at most $c_1 \log(x)$ steps, for x sufficiently large (in other words, the bound is guaranteed only for $x \geq k$, for some constant $k \geq 1$). Moreover, an instance of the **Bounded Halting** problem is a pair (e, n) where e is the Gödel number of an \mathcal{M} -program, and n is some nonnegative integer. The problem is to decide if there is some $x \in \{2^n, 2^n + 1, \dots, 2^{n+1} - 1\}$ for which P_e halts on input x in less than or equal to n^4 steps. Prove that there is no function $g(e, n)$ that can decide the **Bounded Halting** problem within $c_2 n^2$ steps, for n sufficiently large. Hint: use the **self** programming concept. (25 pts)